
IMPORTANT INFORMATION

DO NOT THROW AWAY

LAWN TRACTOR

MODEL NUMBER - LT120 (HA125R38B)





954 00 04 92

HOW TO USE THIS MANUAL

This manual is designed to provide the customer with a means to identify the parts on this product when ordering repair parts. The illustrations may or may not represent the actual assemblies; therefore, it is not recommended to use this manual as a guide to assemble or disassemble the product. Some hardware and parts are drawn larger in order to more readily identify them.

Each lawn tractor has its own model number.

The model number for your lawn tractor can be found on the fender under the seat.


When ordering parts, always give the following information:

- Product "Lawn Tractor"
- Model Number "LT120" (HA125R38B)
- Part Number
- Part Description

TABLE OF CONTENTS


BRAKE / REAR MOWER LIFT ASM	10
DASH	6
DECAL	15
ENGINE / THROTTLE	11
ELECTRICAL	18-19
FENDER / CHASSIS	4
FRONT AXLE	9
GROUND DRIVE	
HOOD	3
MOWER LIFT LEVER	13
MOWER DECK	16-17
SEAT	5
SECTOR GEAR / AXLE SUPPORT	8
STEERING WHEEL	7
TRANSAXLE	14

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 HOOD




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 3 4 5 6 7 8 9 10 11 12	874780410 532128445 819091016 817490512 532140050 532140051 873220400 532123840 532130850 532140142 532130986	Bolt Fin Hex 1/4-20 x 5/8 Bracket Pivot Hood LH Washer Flat 1/4 Screw Thdrol 5/16-18 x 3/4 Bracket Asm. Pivot Hood RH Bracket Asm. Pivot Hood LH Nut Fin Hex 1/4-20 Duct Air Hood Brace Hood Hood Lens LH	13 21 22 23 24 25 26 27 28 29	532130984 532126938 532130985 532139969 532128446 532131037 532052921 532131028 811050400 532120537	Grille Bumper Hood Lens RH Latch Hood Bracket Pivot Hood RH Clip Asm. Duct Air Clip Tinnerman Clip Tinnerman Washer Lock Ext Tooth Strip Foam nent dimensions given in U.S. inches
			1 400 1	1 inch = 25	

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 FENDER/CHASSIS




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13	532129965 819132012 817490612 532124181 532125142 532109596 532126700 817490512 532126995 532139783 532124346 532140784 532109238	Case Asm. Battery Washer 13/32 x 1-1/4 x 12 Ga. Screw Thdrol. 3/8-16 x 3/4 Spring seat Plate Asm. Pnt Battery Fender Clamp Hose Olive Pad Footrest Rubber Deluxe Screw Thdrol. 5/16-18 x 3/4 Console Shf. 6sp W/lgn. Plate Lock Shift Nut Self Thd. Wsh-Hd 1/4 Chassis Asm. Weldment Tube Plastic	15 16 17 18 19 20 21 22 23 25	873800500 873510400 874760512 532127880 532126470 532141366 819091413 532140297 817490508 872110506 817490516 E: All comport 1 inch = 25	Nut Crownlock 5/16-18 Nut Keps Hex 1/4-20 Bolt Hex Hd. 5/16-18 x 3/4 Drawbar Asm. Clip Insulated Fend/Foot Asm. Pnt Shf. Fnd. Washer 9/32 x 7/8 x 13 Ga. Bracket Stop Depth Screw Thdrol 5/16-18 x 1/2 Bolt Rdhdsqnk. 5/16-18 x 3/4 Scr-Hex Wsh Rol 5/16-18 x 1

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 SEAT




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	872050411	Bolt, Carriage 1/4-20 x 1-3/8	15	819171912	Washer 17/32 x 1-3/16 x 12 Gauge
2	532127398	Seat	16	532127018	Bolt, Shoulder
4	873800500	Nut, Hex, Crownlock 5/16-18	18	532123976	Nut, Hex, Large, Flange Lock
5	532139888	Bolt, Shoulder 5/16-18 UNC	19	532121248	Bushing, Snap
6	532140407	Clip, Insulated	20	532121250	Spring, Compression
8	874760612	Bolt, Hex, Fin. 3/8-16 UNC x 3/4	21	532134300	Spacer, Split, Large .28 ld. x .96
9	532140551	Bracket, Pivot, Seat	22	532121246	Bracket, Switch Mounting
11	819133210	Washer 12/32 x 2 x 10 Gauge	23	532140552	Pan, Seat
12	873800600	Nut, Hex, Crownlock 3/8-16 UNC			
13	532120068	Knob, Seat	NOT	E: All compone	ent dimensions given in U.S. inches

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 DASH



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532132735	Cap, Fuel Tank	17	872110404	Bolt, Carriage 1/4-20 x 1/2 Grade 5
2	532138395	Assembly, Dash & Fuel Tank	18	532131886	Support Assembly, Dash
	532123487	Clamp, Hose	19	532134744	Brace, Cross
4	532008544	Line, Fuel	20	817060408	Screw, Self-Tapping 1/4-20 x 1/2
5	532008548	Line, Fuel	21	532134014	Plug, Dome, Black
_	873510400	Nut, Hex, Keps 1/4-20			
7	532124996	Clip, Fuel Line	NOT	E: Ali compor	nent dimensions given in U.S. inches
Ŕ		Washer 9/32 x 3/4 x 16 Gauge		1 inch = 25	


12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 STEERING WHEEL



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532124416	Insert, Steering Wheel	9	532124210	Clip, Steering
2	532124701	Locknut 3/8-24 UNF	10	532123438	Bushing, Lower, Steering
3	819133808	Washer 12/32 x 2-3/8 x 8 Gauge	11	812000045	Ring, Retaining
4	532124415	Steering Wheel	12	819211616	Washer 21/32 x 1 x 16 Gauge
5	532127396	Sleeve, Steering	13	532104820	Adaptor, Steering Wheel
6	817431008	Screw, Hex Head #10-16 x 1/2			•
7	532102803	Bushing, Steering	NOT	E: All compone	ent dimensions given in U.S. inches
8	532123651	Shaft, Šteering		1 inch = 25.	


HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 SECTOR GEAR / AXLE SUPPORT




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 5 6 7	532132566 874780828 532121926 532121927 873030800	Link, Drag Bolt, Hex, Fin. 1/2-13 x 1-3/4 Gear, Sector Bushing Nut, Heavy Hex, Top Lock 1/2-13 UNC	12 13 14 15 17 20	532126847 874760512 819111416 872110606 532137096 873800600	Bushing Bolt, Hex Head 5/16-18 UNC x 1 Washer 11/32 x 7/8 x 16 Gauge Bolt, Carriage 3/8-16 UNC x 3/4 Support, Front Axle Nut, Hex, Crownlock 3/8-16 UNC
8 9 10	532126472 873680800 876020412	Clip, Insulated Nut, Crownlock 3/8-16 Pin, Cotter 1/8 x 3/4 Washer 13/32 x 13/16 x 16 Gauge	21 NOT	873800500 E: All components inch = 25.	Nut, Hex, Crownlock 5/16-18 ent dimensions given in U.S. inches 4 mm

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 FRONT AXLE




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532121232	Cap, Spindle	11	532126847	Bushing
2	812000029	Ring, Clip	12	532121924	Tie Rod
3	532121748	Washer 25/32 x 1-5/8 x 16 Gauge	13	532137061	Spindle Assembly, L.H.
4	532124937	Bearing	14	874011056	Bolt Hex 5/8-11 Unc x 3-1/2
5	532140212	Axle, Front	15	873901000	Nut Lock Flange 5/8-11 Unc
	532124931	Bearing, Thrust	16	532140247	Spacer Bearing
7	532137062	Spindle Assembly, R.H.	17	532124836	Fitting Grease
8	532121749	Washer 25/32 x 1-1/4 x 16 Gauge	18	819272016	Washer 27/32 x 1-1/4 x 16 Ga.
9	876020412	Pin, Cotter 1/8 x 3/4			
10	819131316	Washer 13/32 x 13/16 x 16 Gauge	NOT	E: All compon	ent dimensions given in U.S. inches

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 BRAKE / REAR MOWER LIFT ASSEMBLY




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532071673	Cap, Plunger	15	532123641	Assembly, Brake, Pivot, Arm
2	532123436	Rod, Parking Brake	16	819251816	Washer 25/32 x 1-1/8 x 16 Gauge
3	532123437	Bracket, Parking Brake	17	812000034	Ring, Klip
4	532008156	Cover, Pedal	18	532106888	Spring, Brake Rod
5	532132205	Bracket, Clutch/Brake Pedal, L.H.	19	873350600	Nut, Hex, Jam 3/8-16 UNC
6	876020312	Pin, Cotter 3/32 x 3/4	20	873800600	Locknut, Hex, w/Wsh Ins 3/8-16 UNC
7	819131016	Washer 13/32 x 5/8 x 16 Gauge	21	532131460	Rod, Brake, Rear
8	817490508	Screw, Hex Head, Thd., Roll.	27	532136780	Link, Lift, Rear
		5/16-18 x 1/2	28	532136779	Assembly, Rear Mower Lift
9	876020412	Pin, Cotter 1/8 x 3/4	29	872110506	Bolt, Carriage 5/16-18 UNC x 3/4
	819131316	Washer 13/32 x 13/16 x 16 Gauge	30	873510500	Nut, Hex, Keps 5/16-16 UNC
11	532123543	Rod, Brake, Front	31	532133095	Spring, Counterbalance
12	532139934	Assembly, Clutch/Brake Pedal	32	532133721	Link, Lift Lever
13	532123394	Rod, Clutch	33	532124670	Retainer Spring
14	532121978	Bracket, Lift Shaft			, 0
• •	002.2.0.0	2,30,10,4 =	NOT	E: All compone	ent dimensions given in U.S. inches
				1 inch = 25 .	

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 ENGINE



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	817060408	Screw, Hex Head, Thread Cutting 1/4-20 x 1/2	11 12	874760412 532137437	Bolt, Hex, Fin. 1/4-20 UNC x 3/4 Muffler
2	532133025	Control, Throttle	15	532137180	Arrester, Spark
3		Engine, Briggs & Stratton, 12.5 HP, Model #286707	17	817490624	(Optional Equipment) Screw, Hex Washer Head, Thd.,
4	871070512	Screw, Hex Cap Hd. 5/16-18 x 3/4			Roll. 3/8-16 x 1-1/2
5	810040500	Washer, Lock, Heavy Helical Spring	18	532126636	Keeper, Ground Drive Belt
		5/16	20	873510600	Nut, Hex, Keps 3/8-16
6	532125593	Gasket, Exhaust	21	532124996	Clip, Fuel Line
9	819101216	Washer 5/16 x 3/4 x 16 Gauge			
10	810040400	Washer, Lock, Heavy Helical Spring 1/4	TON	E: All compon 1 inch = 25	ent dimensions given in U.S. inches .4 mm

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 GROUND DRIVE




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12	873800500 874760512 532132946 532138029 810040700 871170744 532124525 532123405 872140612 532123396 532123395 532123674	Nut, Crownlock 5/16-18 Bolt, Hex Head 5/16-18 UNC x 3/4 Keeper, Mower Drive, R.H. Pulley, Engine Washer, Lock 7/16 Bolt, Hex Hd. 7/16-20 UNF Grade 5 Traction, V-Belt Drive Keeper, T/A, Ground Drive Belt Bolt, Carriage 3/8-16 UNC x 1-1/2 Keeper, Ground Drive Belt Idler Arm, Ground Drive Clutch Idler, Flat	13 14 15 17 18 19 20 21 22 23	819131316 873930600 873800600 532122052 532131459 873510500 532139919 819111016 532123404 532126472 E: All compon 1 inch = 25	Washer 13/32 x 13/16 x 16 Gauge Nut, Hex, Centerlock 3/8-16 UNC Nut, Hex, Crownlock 3/8-16 UNC Spacer, Retainer Spring, Extension Nut, Hex, Keps 5/16-18 UNC Keeper, T/A, Ground Drive Belt Washer 11/32 x 5/8 x 16 Gauge Keeper, Frame Ground Drive Belt Clip Insulated ent dimensions given in U.S. inches 4 mm

873680400


Nut, Crownlock 1/4-20

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 MOWER LIFT LEVER




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532126470	Clip, Insulated	20	874760644	Bolt, Hex Head, Fin.
	532122018	Bracket, Mower Clutch			3/8-16 UNC x 2-3/4
3	874780408	Bolt, Hex Head, Fin.	22	532132561	Bracket, Lift Lever
		1/4-20 UNC x 1/2 Grade 5	23	876020312	Pin, Cotter 3/32 x 3/4
4	873800600	Nut, Crownlock 3/8-16 UNC	24	532007672	Washer 25/64 x 1-1/4 x 12 Gauge
5	532132552	Assembly, Clutch Lever	25	532121933	Tube, Spacer
6	532106451	Bolt, Shoulder	27	532121466	Knob
7	532135110	Assembly, Mower Clutch Arm	30	532135039	Rod, Tension, Clutch
8	874930624	Bolt, Hex Head 3/8-16 UNC x 1-1/2	31	873930600	Nut, Centerlock
10	876020412	Pin, Cotter 1/8 x 3/4	32	532133435	Spring, Extension, Return
12	532122027	Handle, Lift Lever	33	532062333	Washer .390 x 1.437 x .074
13	532136658	Assembly, Lift Handle	34	873800500	Nut, Crownlock 5/16-18
14	532133939	Spring, Compression	35	532133603	Cap, Vinyl, Red
15	819131616	Washer 13/32 x 1 x 11 Gauge	36	872140506	Bolt, Carriage 5/16-18 x 3/4
	532135107	Trunnion, Threaded 3/8-16			-, 5 · · · · · ·

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 TRANSAXLE



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	' PART NO.	DESCRIPTION
1 2 3	532123385 812000028 532137363	Pulley Ring, Retainer Transaxle, Dana Model No. 4360-48	19 20 21	810040400 819091210 532123539	Washer, Lock 1/4 Washer 9/32 x 3/4 x 10 Gauge Arm, Shift
4 5	532125096 873800500	Key, Woodruff #9 Nut, Crownlock 5/16-18	22 23	532105701 532121247	Washer, Shift Plate Knob, Duckhead
6 7	872140506 532123378	Bolt, Carriage 5/16-18 UNC x 3/4 Strap, Torque	24 25	532128215 876020416	Rod Assembly, Shift Pin, Cotter 1/8 x 1
8 9	817490512 532110422	Screw 5/16-18 x 3/4 Spring, Brake	26 27	873810500 873510500	Locknut 5/16-24 UNF Nut, Hex, Keps 5/16-18
10	532121749 532123583	Washer 25/32 x 1-1/4 x 16 Gauge Key, Square	28 29 31	532128085 532128084 532109502	Extension, Spring Support Handle Shift, RH Spacer Split
12 15 16	874760644 819171616 532124600	Bolt, Hex, Fin. 3/8-16 Unc x 2-3/4 Washer 17/32 x 1 x 16 Gauge Support Handle Shift, LH	33 34	873800600 811050500	Nut Crownlock 3/8-16 Unc Washer, External Tooth 5/16
17 18	532123632 871040412	Link, Shift Bolt, Hex, Fin.	35	812000001	E-Ring
10	37.10.10112	1/4-28 UNF x 3/4 Grade 8	NOT	TE: All compor 1 inch = 25	nent dimensions given in U.S. inches 5.4 mm


12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 DECALS



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532129057	Decal, Engine, HP	11 50	32137259	Decal, Warning, Multi-Language
2	532135073	Decal, Indicator	12 5	32140199	Decal, Hood, Insert, R.H.
- 3	532140206	Decal, Hood, L.H.	13 5	32140200	Decal, Hood, Insert, L.H.
4	532140205	Decal, Hood, R.H.	15 5	32138272	Decal, Instruction, Operating
5	532140213	Decal, Logo, Grill	16 50	32136830	Decal, V-Belt Schematic
8	532131582	Decal, Logo, Fender	50	32140267	Manual, Operator's
9	532124433	Decal, 80 DBA	50	32140266	Manual, Repair Parts
10	532133796	Decal, Fender, Caution			•

-- CER 38

WHEELS & TIRES




KEY NO.	PART NO.	DESCRIPTION
1	532059192	Cap, Valve Stem
2 3	532065139	Stem, Valve
3 4	532124957 532132696	Fitting, Grease (Front Wheels Only) Tire, Front
4	532132703	Tire, Rear
5	532059904	Tube, Front Tire
,J	302033304	(Optional - Service Item Only)
	532008134	Tube, Rear Tire
		(Optional - Service Item Only)
6	532140298	Rim, Front
	532140453	Rim, Rear
8	532124959	Bearing Flange
9	532121748	Washer 25/32 x 1-5/8 x 16 Gauge
10	532124577	Cover, Wheel, Front, 6"
	532124578	Cover, Wheel, Rear, 8"

Available accessories not included with tractor:

Grass Catcher


12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 MOWER DECK



12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 MOWER DECK

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532138356	Mower Deck Assembly	35	532132554	Clutch Rod, Secondary
2	873680500	Nut, Crownlock 5/16-18	36	819131316	Washer 13/32 x 13/16 x 16 Gauge
3	872140506	Bolt, Carriage 5/16-18 x 3/4	37	876020312	Pin, Cotter 3/32 x 3/4
4 5	532125074 532110485	Runner, L.H.	38 39	532133840 532129963	Idler Arm Washer .150 Thick
6	532128774	Bearing Housing, Mandrel	39 40	532129303	Pulley, Mandrel
7	532129895	Bearing	41	532137266	Nut, Flangelock 9/16
8	532137645	Shaft and Bearing Assembly,	42	532131494	Pulley, Flat Idler
9	0021070-70	Mandrel (Includes Key Number 7)	43	532122052	Spacer, Retainer
9	532134148	Blade	44	819131612	Washer 13/32 x 1 x 12 Gauge
10	532129962	Washer, Hardened	45	873680600	Nut, Crownlock 3/8-16
11	810030600	Washer, Lock 3/8	46	532131290	Belť
12	532850857	Bolt, Hex 3/8-24 x 1-1/4 Grade 8	47	532133502	Spacer, Idler Arm
13	532136929	Stripper, Mower, Vented	48	532133503	Stiffener, Idler Arm
14	532106736	Shield, Deflector	49	532133551	Rod, Pivot
15	532106735	Rod, Hinge	50	532131289	Rod, Brake, L.H.
16	532137607	Bracket Assembly, Deflector	51	532130840	Brake Assembly
17	532110452	Pushnut	52	817490512	Screw, Hex Washer Head, Thd.,
18	532106734	Spring, Deflector		500101000	Roll. 5/16-18 x 3/4
19	819111016	Washer 11/32 x 5/8 x 16 Gauge	53	532131288	Rod, Brake, R.H.
20	532105304	Cap, Sleeve	54	872110614	Bolt, Carriage
21	532128772	Runner, R.H.	EE	E00104700	3/8-16 x 1-3/4 Grade 5
22 23	819111216	Washer 11/32 x 3/4 x 16 Gauge Bolt, Hex Head 5/16-18 x 1-1/4	55 56	532124788 532136782	Spring, Retainer Adjustment Plate, Rear Link, L.H.
23 24	532078158 532124670	Retainer, Spring	57	872140606	Bolt, Carriage 3/8-16 x 3/4
25	874600636	Bolt, Carriage 3/8-16 x 2-1/4	58	819131212	Washer 13/32 x 3/4 x 12 Gauge
26	819131612	Washer 13/32 x 1 x 12 Gauge	59	873800500	Locknut, Hex, with Washer Insert
27	532132556	Link Assembly, Front	00	07000000	5/16-18
28	873350800	Nut, Hex, Jam 1/2-13 UNC	60	819111112	Washer 11/32 x 11/16 x 12 Gauge
29	532130171	Trunnion	62	532124660	Retainer Spring
30	873800800	Locknut with Washer Insert	64	532133943	Washer Hardened
-		1/2-13 UNC		532130794	Mandrel Assembly (Includes Key
31	532132553	Clutch Rod, Primary			Numbers 5-8, 10-12, 39 and 41)
32	873350600	Nut, Hex, Jam 3/8-16		532138422	Mower Deck, Complete
33	532132559	Arm, Suspension, Rear			•
34	532133604	Trunnion 3/8-16	NOT		nent dimensions given in U.S. inches
				1 inch = 25	5.4 mm


12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 ELECTRICAL



12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 ELECTRICAL

KEY NO.	PART NO.	DESCRIPTION
1 2 3 5 6 7 8	873510400 532108423 532133909 532108236 532104445 532109553 817021008	Nut, Hex, Keps 1/4-20 Assembly, Cable Battery Bracket, Switch Switch, Interlock, 2 Terminal Switch, Interlock, 4 Terminal Screw, Hex Head, Self-Tapping #10-24 x 1/2
12 14 15 16 17 18 19 20	873510500 532108824 532128353 532140411 873350400 810090400	Key, Molded Cover, Ignition Key Nut, Ignition Switch, Ignition Tie, Cable Switch, Plunger Nut, Hex, Keps 5/16-18 Fuse Assembly, Cable Harness, Ignition Nut, Hex, Jam 1/4-20 Washer, Lock 1/4 Bolt, Hex, Fin.
36	819091016 810040400 532121264 873220400 532004152 532131078 532110712 811050600 811150400 532140413	1/4-20 UNC x 1/2 Grade 5 Cover, Terminal Solenoid Bolt, Hex Head 1/4-20 UNC x 3/4 Washer 9/32 x 5/8 x 16 Gauge Washer, Lock 1/4 Cap, Battery Nut, Hex, Fin. 1/4-20 UNC Bulb, Light Harness, Headlight Switch, Light Washer, Lock, External Tooth 3/8 Washer, Lock, Internal Tooth 1/4 Harness Engine Harness Adapter

12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 TRANSAXLE DANA, MODEL NO. 4360-48



12.5 HP 38" LAWN TRACTOR-MODEL NO. LT120 (HA125R38B), PRODUCT NO. 954 00 04-92 TRANSAXLE DANA, MODEL NO. 4360-48

KEY PART NO. NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1 532138248 2 532002274	Housing, Upper Screw, Self-Tapping, Large 1/4-20 x .734	41 532105928 42 532110084 43 532134394	Sprocket, 9 Teeth Gear, Bevel, 42 Teeth * Assembly, Kit, Shim .750 Shaft
3 532134400	Ball, Detent	44 532120473	Shaft, Drive
4 532105904	Spring, Detent	45 532105933	Gear, Spur, 12 Teeth
5 532105905 6 532138235	Screw, Set Kit, Shifter Assembly	46 532106151 47 532120407	Gear, Spur, 15 Teeth Gear, Spur, 20 Teeth
7 532134399	Boot, Shifter	48 532106589	Gear, Spur, 25 Teeth
8 532134791	Screw, Self-Tapping, with Sealer	49 532120408	Gear, Spur, 28 Teeth
9 532138241	Square Ring	50 532105937	Gear, Spur, 31 Teeth
10 532002267	Ring, Retaining	51 532002226	Washer, Plain .632 x 1.00 x .060
11 532134793 12 532138240	* Assembly, Kit, Shim .625 Shaft Bearing, Flange	52 532134401 53 532002264	Washer, Neoprene Washer, Plain .758 x 1.25 x .031
13 532120415	Washer, Plain .632 x 1.38 x .046	54 532120474	Axle, L.H.
14 532002257	Key, Woodruff, #9	55 532110081	Gear, Miter, 15 Teeth
15 532138234	Assembly, Kit, Input Shaft	56 532105941	Ring, Retaining
16 532110078	Pinion, Bevel, 14 Teeth	57 532110071 58 532120952	Gear, Spur, 32 Teeth
17 532105909 18 532105910	Ring, Retaining Chain, 24 Pitches	58 532120952 59 532110082	Shaft, Cross Gear, Miter, 15 Teeth
19 532105911	Bearing, Flange	60 532123908	Axle, R.H.
20 532138242	Gear, Špur, 14 Teeth	61 532120475	Housing, Lower
21 532138246	Collar, Clutch	62 532120961	Puck, Friction
22 532138236	Assembly, Kit, Clutch Keys Locknut 5/16-24	63 532007294 64 532108989	Disc, Brake
23 873810500 24 532138243	Shaft, Intermediate	64 532108989 65 532120953	Spacer Jaw, Brake
25 532002244	Key, Woodruff, #61	66 532120954	Pin, Dowel
26 532105916 27 532120470	Ring, Retaining Sprocket, 18 Teeth	67 532134799	Screw, Self-Tapping, Large 5/16-18 x 2.25
28 532110070	Spacer	68 532138244	Lever, Actuating
29 532108977	Gear, Spur, 37 Teeth	69 532108996	Washer, Plain .321 x 1.00 x .055
30 532109254	Gear, Spur, 35 Teeth	70 532120956	Bracket, Anti-Rotation
31 532120405 32 532108980	Gear, Spur, 30 Teeth Gear, Spur, 25 Teeth	71 532106596	Screw, Self-Tapping, Large 5/16-18 x 1.44
33 532120406	Gear, Spur, 22 Teeth	72 532120951	Puck, Friction
34 532134796 35 532105925	Gear, Spur, 19 Teeth Washer, Plain .640 x 1.37 x .061	73 532120416	Grease
36 532002232 37 532108978	Washer, Plain .632 x 1.00 x .026 Spacer .630 x 1.00 x .169	* Use in combi	nations to maintain proper clearances
38 532110079	Assembly, Gear, Combination of 12 Teeth and 35 Teeth	** Order Key No	o. 15
39 532124639 40 532120472	Shaft, Idler Spacer .635 x .875 x .755	NOTE: All comport 1 inch = 25	nent dimensions given in U.S. inches 5.4 mm

SERVICE NOTES

SERVICE NOTES