


# LT 125



(HC12542C) 954002711



Repair Parts Manual

Ride Mower

**SCHEMATIC**



**IGNITION SWITCH**

POSITION	CIRCUIT	'MAKE'
OFF	G + M + L	NONE
RUN/LIGHT	B + L	A + Y
RUN	B + L	NONE
START	B + L + S	NONE

- NON-REMOVABLE CONNECTIONS
- REMOVABLE CONNECTIONS

**WIRING INSULATED CLIPS**

**NOTE:** IF WIRING INSULATED CLIPS WERE REMOVED FOR SERVICING OF UNIT, THEY SHOULD BE REPLACED TO PROPERLY SECURE YOUR WIRING


**NOTE**

YOUR TRACTOR IS EQUIPPED WITH A SPECIAL ALTERNATOR SYSTEM. THE LIGHTS ARE NOT CONNECTED TO THE BATTERY, BUT HAVE THEIR OWN ELECTRICAL SOURCE. BECAUSE OF THIS, THE BRIGHTNESS OF THE LIGHTS WILL CHANGE WITH ENGINE SPEED. AT IDLE THE LIGHTS WILL DIM. AS THE ENGINE IS SPEEDED UP, THE LIGHTS WILL BECOME THEIR BRIGHTEST.

# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## ELECTRICAL



# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## ELECTRICAL


KEY NO.	PART NO.	DESCRIPTION
1	532121265	Battery 12 Volt 25 AMP
2	874760412	Bolt Hex Hd 1/4-20unc X 3/4
3	819091016	Washer 9/32 X 5/8 X 16 Ga.
4	810040400	Washer Lock Hvy Helical 1/4
5	532121264	Caps Battery 20/25/30 AMP
6	873220400	Nut Fin Hex 1/4-20 Unc
7	532109238	Tube Plastic 12"
8	532144940	Case Battery
9	532109596	Clamp Hose Olive
19	810090400	Washer Lock 1/4
20	873350400	Nut Jam Hex 1/4-20 Unc
21	532136850	Harness Asm Light W/4152j
22	532004152	Bulb Light #1156
24	532124780	Cable Battery 6 Ga 11" red
25	532146147	Cable Battery 6 Ga 44" red
26	532108824	Fuse 30 AMP Auto Green
28	532124773	Cable Ground 6 Ga 12" black
29	532121305	Switch Plunger Nc Gray
30	532140301	Switch Ign 4 pos w/lights
31	532124211	Nut Ignition
32	532141226	Cover Sw Ignition
33	532122147	Key Ign Modleded Generic
35	532108236	Bracket Switch Clutch
36	817021008	Screw Tap Hex #10-24unc X 1/2
38	532140336	Bracket, Switch, Interlock
39	532109553	Switch Intlk Clutch Red 4 Term
40	532146058	Harness Ignition LT PL Mech
41	871110412	Bolt Blk Fin Hex 1/4 - 20 x 3/4
42	532131563	Cover Terminal Red
43	532145673	Solenoid
44	873510400	Nut Keps Hex 1/4-20 Unc
45	532140844	Adapter Ammeter
46	532141940	Protection Wire Loop
70	532141163	Harness, Eng.

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## CHASSIS AND ENCLOSURES



# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## CHASSIS AND ENCLOSURES


KEY NO.	PART NO.	DESCRIPTION
1	532145501	Chassis Weldment 11ga
2	532140356	Drawbar, Stretch
3	817490612	Screw Thdrol 3/8-16x3/4 Ty-tt
4	819131216	Washer 13/32 x 3/4 x 16 Ga.
6	532145206	Saddle LT Fender Shift
8	532126471	Clip Insulator .406 Mtg Hole
9	532140072	Dash Private Label
10	872140608	Bolt Carriage 3/8-16 x 1
11	532140815	Panel Pnt Dash Lh
12	532145660	Clip Tinnerman Grille P/L
13	532140178	Panel Dash Rh Weldment
14	817490608	Screw Thdrol 3/8-16x1/2 Ty-tt
17	532144320	Hood Paint Steel Private Label
20	532145210	Plate Mtg Battery Fuel Tank
23	532124028	Bushing
24	874780616	Bolt Fin Hex 3/8-16unc X 1 Gr. 5
25	819131312	Washer 13/32 X 13/16 X 12 Ga
26	873800600	Nut Lock Hex W/Ins 3/8-16 Unc
28	532140141	Grille Private Label
29	532140273	Lens Grille Private Label
30	532143050	Fender Pnt
31	532136619	Bracket Pnt Fender
33	532147203	Footrest Pnt Lh
34	532147202	Footrest Pnt Rh
35	872110606	Bolt Rdhd Sht Sqnk 3/8-16 X3/4
37	817490512	Screw Thdrol 5/16-18 X3/4
38	532139886	Bracket, Asm. Pivot, L.H., Mower Rear
39	532139887	Bracket, Asm. Pivot, R.H., Mower Rear
48	532138096	Rivet Push Plate D Plastick Blk
49	817490412	Screw Hexwsh. Thdrol 1/4-20 x 3/4
50	532142779	Brace
51	873800400	Nut Lock Hex W/Ins 1/4-20
52	819091416	Washer 9/32 x 7/8 x 16 Ga.
53	532144697	Bracket, Grille, LH
54	817030814	Screw Lock Spider #8 x 7/8
55	532144696	Bracket, Grille, RH
57	874780412	Bolt Hex 1/4-20 x 3/4
58	532140806	Air Duct P/L
68	873510400	Nut Keps Hex 1/4-20
--	532005479	Plug Button
--	532134014	Plug Dome Blk

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## DRIVE



# REPAIR PARTS

## TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

### DRIVE

KEY PART NO. NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION		
1	532142603	Transaxle 6sp Model No. 4360-79	42	819131312	Washer 13/32 X 13/16 X 12 Ga
2	532146682	Spring Return Brake	43	873800600	Nut Lock Hex W/Ins 3/8-16 Unc
3	532123666	Pulley Transaxle 18" tires	44	532105706	Bearing Nyl 503 X 628 X 1 25
4	812000028	Ring Retainer # 5100-62	45	532110812	Washer Hardened
5	532121520	Strap Torque 30 Degrees	46	812000039	Ring Klip #t5304-50
6	817490512	Screw Thdrol 5/16-18 X 3/4 TYT	47	532127783	Pulley Idler V Groove Plastic
7	532130802	Bracket Saddle Shift	48	532123789	Bellcrank Asm Clutch
8	532131679	Rod Shifter	49	532123205	Retainer Belt Style Spring
9	819151216	Washer 15/32 x 3/4 x 16 Ga.	50	874760624	Bolt Hex Hd 3/8-16unc X 1-1/2
10	876020416	Pin Cotter 1/8 X 1 Cad	51	873680600	Nut Crownlock 3/8-16 Unc
11	532105701	Washer Plate Shf 388 Sq Hole	52	819131316	Washer 13/32 X 13/16 X 16 Ga
12	819091210	Washer 9/32 X 3/4 X 10 Ga	53	532105710	Link Clutch 7 66
13	874550412	Bolt 1/4-28 Unf Gr.8 w/Patch	54	876020412	Pin Cotter 1/8 X 3/4 Cad
14	810040400	Washer Lock Hvy Helical 1/4	55	532105709	Spring Return Clutch 6 75
15	874780544	Bolt Fin Hex 5/16 - 18 UNC x 2.75	56	876020412	Pin Cotter 1/8 X 3/4 Cad
17	532121520	Strap Torque LT	57	532130801	V-Belt Ground Drive 95 25 42"
18	874780616	Bolt Fin Hex 3/8-16unc X 1 Gr. 5	58	532127274	Keeper Belt RH LT Pnt/zinc 16g
19	873800600	Nut Hex Lock W/Ins 3/8-16 Unc	59	532140312	Keeper Belt Chassis Span Ctr
20	817490512	Screw Thdrol 5/16-18 X 3/4 TYT	60	819131312	Washer 13/32 X 13/16 X 12 Ga
21	532121274	Knob Duckhead 1/2-13 UNC	61	817490612	Screw Thdrol 3/8-16x3/4 Ty-tt
22	532130804	Rod Brake Blk Zinc 27 326	62	532124872	Cover Pedal Blk Round
23	873800600	Nut Lock Hex W/wsh 3/8-16unc	63	532140186	Engine Pulley
24	873350600	Nut Hex Jam 3/8-16 Unc	64	871170764	Bolt Hex 7/16-20x4 Gr 5
25	532106888	Spring Rod Brake 2 00 Zinc	65	810040700	Washer Lock Hvy Hlcl Spr. 7/16
26	819131316	Washer 13/32 X 13/16 X 16 Ga	66	532129921	Keeper Belt Engine LH LT
27	876020412	Pin Cotter 1/8 X 3/4 Cad	67	874760616	Bolt Fin Hex 3/8-16 x 1
28	532145204	Rod Brake Parking LT/YT	68	819131312	Washer 13/32 X 13/16 X 12 Ga
29	532071673	Cap Brake Parking Black	69	873680600	Nut Crownlock 3/8-16 Unc
30	532130807	Bracket Mtg Transaxle	70	532134683	Guide Belt Mower Drive RH
31	532127275	Keeper Belt LH LT 14 Ga	71	874760616	Bolt Fin Hex 3/8-16unc X 1
32	874760512	Bolt Hex Hd 5/16-18unc X 3/4	72	819132012	Washer 13/32 X 1-1/4 X 12 Ga
33	873800500	Nut Hex W/Ins Lock 5/16-18	73	873680600	Nut Crownlock 3/8-16 Unc
34	532149001	Shaft Asm Pedal Foot	74	532109502	Spacer Axle
35	532120183	Bearing Nylon Blk 629 Id	75	532121749	Washer 25/32 X 1 1/4 X 16 Ga.
36	819211616	Washer 21/32 X 1 X 16 Ga	76	812000001	E-ring #5133-75
37	532124963	Pin Roll 3/16 X 1"	77	532123583	Key Square 2 0 X 1845/ 1865
38	532123674	Pulley Idler Flat	78	532121748	Washer 25/32 X 1-5/8 X 16 Ga
39	874760644	Bolt Fin Hex 3/8-16unc X 2-3/4	95	817490612	Screw Thdrol 3/8 - 16 x 3/4
40	532124965	Spacer Split 395 X 59 Bzp	100	819111216	Washer 11/32 x 3/4 x 16 Ga.
41	532109070	Keeper Belt Retainer			

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm






# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## STEERING ASSEMBLY



# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## STEERING ASSEMBLY


KEY NO.	PART NO.	DESCRIPTION
1	532121472	Wheel Steering Auto Blk
2	532142033	Axle Asm Fr LT W/gzks 38/42
3	532135227	Spindle Asm LH
4	532135228	Spindle Asm RH
5	532124931	Bearing Race Thrust Harden
6	532121748	Washer 25/32 X 1-5/8 X 16 Ga
7	819272016	Washer 27/32 X 1-1/4 X 16 Ga
8	812000029	Ring Klip #t5304-75
9	532124937	Bearing Col Strg Blk
10	532130468	Link Drag Sol Ball Jt 20 064
11	810040600	Washer Lock Hvy Hlcl Spr 3/8
12	873610600	Nut Fin Hex 3/8-24 Unf
13	532110438	Spacer Bearing Axle Front
14	874011056	Bolt Hex 5/8-11 Unc X 3-1/2
15	873901000	Nut Lock Flange 5/8-11 Unc
16	532132624	Pin Axle 5/8 X 1 55/1 54 Lg
17	532140176	Shaft Asm Strg Private Label
18	532057079	Washer Thrust 515x 750x 033
19	532124035	Support Shaft
20	532126684	Washer Shim 1/4 X 5/8 X 062
21	810040400	Washer Lock Hvy Helical 1/4
22	871070410	Screw Hex Socket 1/4-20 X 5/8
23	532127501	Shaft Asm Pittman
24	532109816	Nyliner Snap In
25	532124036	Bracket Steering
26	543126847	Bushing Link Drag Blk LR
27	532136874	Gear Sector
28	819131416	Washer 13/32 X 7/8 X 16 Ga
29	817490612	Screw Thdrol 3/8-16x3/4 Ty-tt
30	876020412	Pin Cotter 1/8 X 3/4 Cad
32	532130465	Rod Tie Wire Form 19 75 Mech
36	532102803	Bushing Strg
37	817431008	Screw Slftp #10-16 X 1/2 Ty-b
38	532126805	Insert Cap Strg Wh Au
39	819133808	Washer 13/32 X 2-3/8 X 8 Ga
40	532124701	Nut Lock Center 3/8-24unf
41	532104820	Adaptor Wheel Strg 640/ 635id
42	532140216	Boot Steering Shaft
43	532121749	Washer 25/32 X 1 1/4 X 16 Ga
44	532140171	Shaft Extention Steering
46	532121232	Cap Spindle Fr Top Blk
47	532124836	Fitting Grease
50	817490412	Screw Hex Wsh Thdrol 1/4-20 x 3/4
51	873800500	Nut Lock Hex w/Ins 5/16-18
54	874780520	Bolt Fin Hex 5/16-18 Unc x 1-1/4
55	532140285	Clip Tinnerman
57	532140172	Support Shaft Steering
62	532149686	Kit, Steering Assembly, Service

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm.

# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## SEAT ASSEMBLY



**KEY PART  
NO. NO.**

**DESCRIPTION**

**KEY PART  
NO. NO.**

**DESCRIPTION**

1	532127426	Seat V250 Blk/blk Std
2	532140551	Bracket Pivot Seat 8 720
3	874760616	Bolt Fin Hex 3/8-16unc X 1
4	819131610	Washer 13/32 X 1 X 10 Ga
5	532145006	Clip Push-In
6	873800600	Nut Hex w/Ins. 3/8-16 Unc
7	532124181	Spring Seat Cprsn 2 250 Blk Zi
8	817490616	Screw Thdrol 3/8-16 X 1 Ty-tt
9	819131614	Washer 13/32 X 1 X 14 Ga.
10	532140552	Pan Seat
11	532120068	Knob seat 1/2-13 Unc
12	532121246	Bracket Mounting Switch


13	532121248	Bushing Snap Blk Nyl 50 Id
14	872050411	Bolt Rdhd Sht Nk 1/4-20x1-3/8
15	532134300	Spacer Split 28x 96 Yel Zinc
16	532121250	Spring Cprsn 1 27 Blk Pnt
17	532123976	Nut Lock 1/4 Lge Flg Gr 5 Zinc
18	532124238	Cap Spring Seat
21	532139888	Bolt Shoulder 5/16-18 Unc Blkz
22	873800500	Nut Hex Lock W/Ins 5/16-18
24	819171912	Washer 17/32 X 1-3/16 X 12 Ga.
25	532127018	Bolt Shoulder 5/16-18 X 62

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## DECALS




KEY NO.	PART NO.	DESCRIPTION
1	532140820	Decal Instruction Dash Eng/fr
2	532121549	Decal Caution Battery Fr/ger
3	532143608	Decal Hood LH
4	532143609	Decal Hood RH
5	532143628	Decal Ins Hd LH
7	532143627	Decal Ins Hd RH
8	532131582	Decal Fender Logo
9	532133795	Decal Caution Fender Eng/fr
10	532101892	Decal Clutch/brake Eng/fr
11	532137259	Decal Warning Multi-Language
15	532136832	Decal V-Belt Schematic

KEY NO.	PART NO.	DESCRIPTION
--	532133671	Pad Footrest Ribbed
--	532138311	Decal Handle Lft Height Adjust
--	532148814	Manual Owner's (English)
--	532148815	Manual Owner's (French)

Available accessories not included with tractor:

--	LBD48	42" Snow Blade
--	LSB42	40" Snow Thrower
--	LC05	33lb. Wheel Wts. (Pair)
--	CH12	Tire Chains (18 x 8.5 x 8)
--	MP42	Mulcher Plate Kit 42"

## WHEELS & TIRES




KEY NO.	PART NO.	DESCRIPTION
1	532059192	Cap Valve Tire
2	532065139	Stem Valve
3	532106222	Tire F Ts 15 X 6 0 - 6 Service
4	532059904	Tube Front (Service Item Only)
5	532141446	Rim Asm 6"front White Service
6	532124957	Fitting Grease (Front Wheel Only)
7	532124959	Bearing Flange (Front Wheel Only)
8	532141447	Rim Asm 8"rear White Service
9	532124635	Tire R Ts 18x8 5-8 C Service
10	532124926	Tube Rear (Service Item Only)
11	532104757	Cap Axle Blk 1 50 X 1 00
--	144334	Sealant, Tire (10 oz. Tube)

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## ENGINE



**OPTIONAL EQUIPMENT**  
**Spark Arrester**

# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## ENGINE

KEY NO.	PART NO.	DESCRIPTION
1	532140310	Control Th/ch 23 5 LH Flag
2	817720410	Screw Hex Thd Cut 1/4-20x5/8 T
3	-----	Engine B&S 12.5 ICQ IVT Dual Model No. 286707
4	532137348	Muffler LT B&S 12/12.5/13HP
13	532125593	Gasket Eng 1 313 Id Tin Plated
14	813280324	Nipple Pipe 3/8 Npt X 3"
15	813200300	Elbow Std 90 Degree 3/8-18 Npt
16	811050600	Washer Lock Ext Tooth 3/8
18	532136718	Shield Heat Lt
19	532105839	Receptacle 1/4 turn
20	532105838	Retainer 1/4 turn
21	819091016	Washer 9/32 x 5/8 x 16 Ga.
22	532123650	Stud 1/4 turn
23	532128953	Shield Heat Browning LT/YT
24	817021008	Screw Tap Hex #10-24unc X 1/2
29	532137180	Kit Spark Arrestor (Flat Scrn)
30	532127057	Pinch Weld Hood Black
31	532140280	Tank Fuel Front 2 00
32	532140527	Cap Asm Fuel W/sym Vented
33	532123487	Clamp Hose Black
37	532137040	Line Fuel 20"
38	-----	Plug Oil Drain (Order From Engine Manufacturer)
40	532124028	Bushing Snap Nyl Blk Fuel Line
44	817490412	Screw Hexwsh Thdrol 1/4-20x3/4
46	819091416	Washer 9/32 X 7/8 X 16 Ga
62	810040500	Washer Lock Hvy Hlcl Spr 5/16
72	871070512	Screw Hexhd Cap 5/16-18x 3/4
78	817490620	Screw Thdrol 3/8-16x1-1/4 TYTT
81	873510400	Nut Keps Hex 1/4-20 Unc

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm



# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## MOWER DECK

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532144393	Deck Asm MWR 42"weldment	48	532133944	Washer Hardened Smaller
2	872140506	Bolt Rdhd Sqnk 5/16-18unc X3/4	49	532133940	Roller Asm Cam Follower 42"dec
3	532138017	Bracket Asm Fr Sway Bar 38/42	50	532131340	Bolt Shldr 10-24 Zinc Gr 5 42"
4	532138440	Bracket Asm Deck 42"sway Bar	51	532069180	Nut Lock #10-24 Unc
5	532124670	Retainer Spring	52	532139888	Bolt Shoulder 5/16-18 Unc Blkz
6	532130832	Arm Suspension Rear	53	532131845	Arm Asm Pad Brake
8	532850857	Bolt 3/8 - 24 X 1.25 Gr 8	54	532133943	Washer Hardened
9	810030600	Washer Lock Hvy 3/8	55	532140084	Arm Idler 42"mower LT/YT
10	532140296	Washer Hard Blade Mower Vented	56	532122052	Spacer Retainer Pm Mower
11	532134149	Blade Mower Mulching 42"	58	532140086	Spring Torsion Brakes
12	532129895	Bearing Ball #6024 (Mandrel)	59	532141043	Guard TUV Idler
13	532137645	Shaft Asm W/lower Bearing	67	532106933	Knob Rd 1/2-13 Plstc Thds Blk
14	532128774	Housing Mandrel Vented	68	532144200	V-Belt Mower 42"
15	532110485	Bearing Ball Mandrel	71	532142427	Rod Clutch Primary 38/42
16	532140329	Stripper Mower Vented	72	532131870	Spring Return
17	872110610	Bolt Rdhd Sqnk 3/8-16 X 1-1/4	73	532127847	Arm Clutch Secondary
18	872140505	Bolt Rdhd Sqnk 5/16-18 X 5/8	74	532121748	Washer 25/32 X 1-5/8 X 16 Ga
19	532132827	Bolt Shoulder	75	812000029	Ring Klip #t5304-75
20	532136888	Baffle Vortex 42	76	532128903	Bolt Shoulder 3/8-16 Unc 1 44
21	873680500	Nut Crownlock 5/16-18 Unc	77	532127845	Keeper Spring 4 000
22	532134753	Stiffener Bracket 42"deck	78	532140179	Arm Asm Clutch Primary
23	532131267	Bracket Deflector Mower 42"	79	532127498	Bushing 747 Od X 794 Lg Brass
24	532105304	Cap Sleeve 80x 112 Blk Mower	80	532128759	Spring Clutch Mower 2 750 Zinc
25	532123713	Spring Torsion Deflector 2 52	81	873350600	Nut Hex Jam 3/8-16
26	532110452	Nut Push Phos & Oil	82	532142028	Trunnion Adj 94
27	532130968	Shield Deflector Mower 42" Blk	83	532120958	Washer Sintered
28	819111016	Washer 11/32 X 5/8 X 16 Ga	84	532144394	Keeper Belt Idler Fixed
29	532131491	Rod Hinge 42"6 75 Wig	85	872140620	Bolt Carriage 3/8-16 x 2-1/2 Gr. 5
30	532138776	Screw Thdrol Hex Head Zinc Mwr	101	532136420	Cover Mulching 42" Black
31	532129963	Washer Spacer Mower Vented	102	871161010	Screw
32	532129861	Pulley Mandrel 42"	103	819061216	Washer #10
33	532137266	Nut 9/16 Toplock Fling Oil Dip	104	810071000	Washer Lock #10
34	872110614	Bolt Rdhd 3/8-16uncx1-3/4 Gr5	105	532130758	Latch Asm Bagger
35	532133835	Fastner Christmas Tree	106	532125004	Nut Weld
36	532131494	Pulley Idler Flat 3 060	--	532145411	Mower deck complete (std. deck - order separately mulcher plate components key Nos. 101-106)
37	819131316	Washer 13/32 X 13/16 X 16			Mandrel Asm Service (Includes Key Nos. 8-10, 12-15, 31 and 33)
40	873680600	Nut Crownlock 3/8-16 Unc			
41	532133551	Rod Pivot W/nibs	--	532130794	
43	532140083	Rod Clutch Secondary W/nibs			
44	532140088	Guard Mandrel LH Black			
45	532124788	Spring Retainer 1" Zinc/cad			
46	532137729	Screw Hex Thd Cut 1/4-20x5/8 T			


**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm



# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## MOWER LIFT



# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11


## MOWER LIFT

KEY NO.	PART NO.	DESCRIPTION
1	532136973	Wire Asm Inner W/plunger 17 32
2	532140278	Shaft Asm Lift
3	532138284	Pin Groove
4	812000002	E Ring #5133-62
5	819211621	Washer PLTD 21/32 X 1 X 21ga
6	532120183	Bearing Nylon Blk 629 Id
7	532109413	Grip Handle Bicycle Matte Blk
8	532124526	Button Plunger Black
10	532122512	Spring Cprsn 3 750 Oiled
11	532139865	Link Lift LH
12	532139866	Link Lift RH
13	532124670	Retainer Spring
15	532127218	Link Front
16	873350800	Nut Jam Hex 1/2-13 Unc
17	532130171	Trunnion Blk Zinc
18	873800800	Nut Lock W/wsh 1/2-13unc
19	532139868	Arm Suspension Rear
20	532124660	Spring, Retainer
31	532140302	Bearing Pvt. Lift Spherical
32	873540600	Nut Crownlock 3/8-24

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11  
DANA TRANSAXLE - MODEL NUMBER 4360-79



# REPAIR PARTS

TRACTOR - MODEL NO. LT125 (HC12542C) PRODUCT NO. 954 00 27-11

## DANA TRANSAXLE - MODEL NUMBER 4360-79

KEY PART NO. NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1	532142671 Housing, Upper	41	532105928 Sprocket, 9 Teeth
2	532002274 Screw, Self-Tapping, Large 1/4-20 x .734	42	532110084 Gear, Bevel, 42 Teeth
3	532134400 Ball, Detent	43	532134394 * Assembly, Kit, Shim .750 Shaft
4	532105904 Spring, Detent	44	532120473 Shaft, Drive
5	532105905 Screw, Set	45	532142678 Gear, Spur, 12 Teeth
6	532138235 Kit, Shifter Assembly	46	532142679 Gear, Spur, 15 Teeth
7	532134399 Boot, Shifter	47	532120407 Gear, Spur, 20 Teeth
8	532134791 Screw, Self-Tapping, with Sealer	48	532106589 Gear, Spur, 25 Teeth
9	532138241 Square Ring	49	532120408 Gear, Spur, 28 Teeth
10	532142672 Ring, Retaining	50	532105937 Gear, Spur, 31 Teeth
11	532134793 * Assembly, Kit, Shim .625 Shaft	51	532002226 Washer, Plain .632 x 1.00 x .060
12	532142673 Bearing, Flange	52	532134401 Washer, Neoprene
13	532120415 Washer, Plain .632 x 1.38 x .046	53	532002264 Washer, Plain .758 x 1.25 x .031
14	532142674 Key, Woodruff, #9	54	532120474 Axle, L.H.
15	532138234 Assembly, Kit, Input Shaft	55	532110081 Gear, Miter, 15 Teeth
16	532110078 Pinion, Bevel, 14 Teeth	56	532105941 Ring, Retaining
17	532105909 Ring, Retaining	57	532110071 Gear, Spur, 32 Teeth
18	532105910 Chain, 24 Pitches	58	532120952 Shaft, Cross
19	532105911 Bearing, Flange	59	532110082 Gear, Miter, 15 Teeth
20	532142675 Gear, Spur, 14 Teeth	60	532123908 Axle, R.H.
21	532138246 Collar, Clutch	61	532142680 Housing, Lower
22	532138236 Assembly, Kit, Clutch Keys	62	532120961 Puck, Friction
23	873810500 Locknut 5/16-24	63	532007294 Disc, Brake
24	532142676 Shaft, Intermediate	64	532108989 Spacer
25	532002244 Key, Woodruff, #61	65	532120953 Jaw, Brake
26	532105916 Ring, Retaining	66	532120954 Pin, Dowel
27	532120470 Sprocket, 18 Teeth	67	532134799 Screw, Self-Tapping, Large 5/16-18 x 2.25
28	532110070 Spacer	68	532138244 Lever, Actuating
29	532142677 Gear, Spur, 37 Teeth	69	532108996 Washer, Plain .321 x 1.00 x .055
30	532142681 Gear, Spur, 35 Teeth	70	532120956 Bracket, Anti-Rotation
31	532120405 Gear, Spur, 30 Teeth	71	532106596 Screw, Self-Tapping, Large 5/16-18 x 1.44
32	532108980 Gear, Spur, 25 Teeth	72	532120951 Puck, Friction
33	532120406 Gear, Spur, 22 Teeth	73	532120416 Grease
34	532134796 Gear, Spur, 19 Teeth		
35	532105925 Washer, Plain .640 x 1.37 x .061		
36	532002232 Washer, Plain .632 x 1.00 x .026		
37	532108978 Spacer .630 x 1.00 x .169		
38	532110079 Assembly, Gear, Combination of 12 Teeth and 35 Teeth		
39	532124639 Shaft, Idler		
40	532120472 Spacer .635 x .875 x .755		

\* Use in combinations to maintain proper clearances

\*\* Order Key No. 15

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm