


Ride Mower

## YTH1542XPT

96043000601




Repair Parts Manual



TRACTOR - MODEL NO.YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06  
SCHEMATIC

03025-194276\_Regulated-Tex (12V)



This is a detailed technical wiring diagram for a vehicle's electrical system. The diagram shows the following components and their connections:

- Battery (1):** The main power source, with terminals labeled 2, 91, 99, and 100.
- Alternator (28):** Labeled "Battery 28" in the diagram, it is connected to the battery via a thick cable (24) and a terminal (90).
- Wiring Harnesses:** Several large, multi-colored bundles of wires are shown, including a long black one (40) and a multi-colored one (71).
- Connectors and Terminals:** Numerous connectors are labeled, such as 21, 22, 25, 26, 27, 29, 30, 33, 34, 39, 41, 42, 43, 46, 49, 50, 55, 59, and 90.
- Other Components:**
  - 34:** A fuse or relay box.
  - 39:** A cylindrical component, possibly a solenoid or sensor.
  - 46:** A rectangular electronic module.
  - 50:** A circular component, possibly a horn or speaker.
  - 55:** A terminal block or connector.
  - 59:** A small cylindrical component.
  - 71:** A long, multi-colored wiring harness.
  - 90:** A terminal block or connector.
  - 99:** A terminal block or connector.
  - 100:** A terminal block or connector.


The diagram is labeled with the part number **194276D** at the bottom right.

**TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06  
ELECTRICAL**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>               |
|--------------------|---------------------|----------------------------------|
| 1                  | 532 14 49-27        | Battery                          |
| 2                  | 874 76 04-12        | Bolt Hex Hd 1/4-20 unc x 3/4     |
| 8                  | 532 18 64-91        | Battery Box                      |
| 16                 | 532 17 61-38        | Switch Interlock                 |
| 21                 | 532 18 37-59        | Harness Socket Light             |
| 22                 | 532 00 41-52        | Bulb, Light # 1156               |
| 24                 | 532 40 02-53        | Cable Battery                    |
| 25                 | 532 19 88-93        | Cable Starter                    |
| 26                 | 532 17 51-58        | Fuse                             |
| 27                 | 873 51 04-00        | Nut Keps Hex 1/4-20 unc          |
| 28                 | 532 14 54-91        | Cable Ground 21" Blk 6 Ga.       |
| 29                 | 532 40 15-45        | Switch Seat                      |
| 30                 | 532 19 33-50        | Switch Ign                       |
| 33                 | 532 14 04-01        | Key Ign Molded Generic           |
| 34                 | 532 11 07-12        | Switch Light/Reset               |
| 40                 | 532 40 11-05        | Harness Ign                      |
| 41                 | 817 72 04-08        | Screw Thd Cut 1/4-20 x 1/2       |
| 42                 | 532 13 15-63        | Cover Terminal Red               |
| 43                 | 532 19 25-07        | Solenoid                         |
| 46                 | 532 19 81-38        | Gauge Hourmeter                  |
| 50                 | 532 17 46-51        | Switch PTO                       |
| 55                 | 817 49 05-12        | Screw Thdrol 5/16-18 x 3/4       |
| 59                 | 532 40 03-03        | Outlet 12-Volt                   |
| 71                 | 532 19 42-76        | Harness Ign. Dash                |
| 90                 | 532 40 07-24        | Cover Terminal Battery           |
| 91                 | 532 19 02-70        | Strap Battery                    |
| 99                 | 817 67 04-12        | Screw Hexwsh Thdrol 1/4-20 x 3/4 |
| 100                | 819 09 14-16        | Washer 9/32 x 7/8 x 16 Ga.       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06 CHASSIS



chassis-tex\_10-gt-husq


# TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06 CHASSIS

| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 5       | 532 40 18-23 | Dash                           |
| 14      | 532 40 18-24 | Hood                           |
| 15      | 532 19 89-07 | Lens LH                        |
| 18      | 532 40 48-21 | Grille                         |
| 25      | 532 19 89-06 | Lens RH                        |
| 34      | 532 19 61-25 | Plate Engine                   |
| 36      | 817 06 05-12 | Screw 5/16-18 x 3/4            |
| 37      | 532 40 18-25 | Fender                         |
| 52      | 873 68 05-00 | Nut Crown Lock 5/16-18         |
| 58      | 532 19 43-14 | Bracket Fender                 |
| 68      | 817 49 05-08 | Screw 5/16-18 x 1/2            |
| 99      | 532 40 19-96 | Rod Bypass Asm.                |
| 102     | 532 12 47-88 | Retainer Spring                |
| 130     | 532 19 16-11 | Screw 10 x 3/4 Single Lead Hex |
| 139     | 532 17 18-73 | Bolt Shoulder 5/16-18          |
| 150     | 532 19 85-14 | Duct Heat Hood                 |
| 152     | 532 19 63-90 | Shield Browning/Debris         |
| 161     | 532 40 18-26 | Console Fuel Window            |
| 162     | 532 14 24-32 | Screw Hex Wsh Hi-Lo 1/4 x 1/2  |
| 165     | 532 19 68-26 | Bracket Support Tank           |
| 175     | 532 19 63-04 | Crossmember                    |
| 176     | 532 40 07-76 | Screw 10-24 x 5/8 Rnd Qdrx     |
| 177     | 532 19 52-27 | Bushing Steering               |
| 178     | 532 19 97-82 | Cargo Asm. Net                 |
| 180     | 532 40 15-59 | Chassis                        |
| 181     | 532 40 30-25 | Bushing Mtg. Fender Crgo.      |
| 182     | 532 19 47-87 | Dash Lower                     |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 184     | 532 19 57-80 | Spacer                        |
| 189     | 817 00 05-12 | Screw 5/16-18 x 3/4           |
| 194     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18   |
| 196     | 532 40 02-99 | Console Asm. Deck Lift        |
| 199     | 532 19 82-59 | Plate Deck Lift               |
| 202     | 532 40 30-48 | Vent Side Hood RH             |
| 203     | 532 40 30-76 | Vent Side Hood LH             |
| 204     | 532 19 89-04 | Vent Asm Hood Top             |
| 205     | 532 40 17-09 | Skirt Hood Side RH            |
| 206     | 532 40 17-11 | Skirt Hood Side LH            |
| 207     | 532 19 71-98 | Bezel RH                      |
| 208     | 532 19 71-99 | Bezel LH                      |
| 209     | 532 19 91-30 | Insert Hex Top RH             |
| 210     | 532 19 91-31 | Insert Hex Top LH             |
| 211     | 532 19 91-32 | Insert Hex Bottom RH          |
| 212     | 532 19 91-33 | Insert Hex Bottom LH          |
| 213     | 874 76 05-12 | Bolt Hex Hd 5/16-18 unc x 3/4 |
| 214     | 532 19 91-45 | Clip Retainer                 |
| 215     | 532 19 80-43 | Cover Chassis Front           |
| 216     | 817 67 05-08 | Screw 5/16-18 x 1/2           |
| 217     | 532 15 65-24 | Rod Pivot                     |
| 218     | 532 19 63-95 | Hood Stop                     |
| 221     | 532 19 89-09 | Reflector LH                  |
| 228     | 532 19 51-61 | Stud Fastner                  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06 DRIVE



drive-tex\_29-Husq TuffTorq


# TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06 DRIVE

| KEY NO. | PART NO.     | DESCRIPTION                                                 |
|---------|--------------|-------------------------------------------------------------|
| 1       | 532 40 40-47 | Transaxle, TUFFTORQ K46BN<br>(Internal parts not available) |
| 2       | 532 12 35-83 | Key 1/4 x 2.5                                               |
| 15      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.                               |
| 17      | 532 40 10-72 | Spring, Brake                                               |
| 26      | 532 19 96-79 | Spring Return Cruise                                        |
| 29      | 532 40 38-06 | Rod, Brake                                                  |
| 33      | 812 00 00-01 | Ring E                                                      |
| 35      | 532 19 95-91 | Rod, Brake, Park                                            |
| 37      | 532 12 17-49 | Washer                                                      |
| 42      | 532 12 48-72 | Cover, Foot Pedal                                           |
| 49      | 872 11 06-14 | Bolt                                                        |
| 50      | 532 19 43-27 | Pulley Idler Flat                                           |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                             |
| 52      | 532 19 43-26 | Idler V-Groove 910" Offset                                  |
| 56      | 532 13 09-69 | V-Belt, Drive                                               |
| 64      | 532 19 78-65 | Shaft Asm. Pedal Brake Control                              |
| 70      | 532 40 05-30 | Console Asm.                                                |
| 74      | 532 14 24-32 | Screw 1/4 x 1/2                                             |
| 80      | 532 40 44-83 | Strap Torque                                                |
| 92      | 874 76 05-20 | Bolt Fin Hex 5/16-18 unc x 1.25                             |
| 116     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                 |
| 125     | 817 00 05-12 | Screw 5/16-18 x 3/4                                         |
| 143     | 817 49 05-08 | Screw Thdrol 5/16-18 x 1/2                                  |
| 153     | 532 12 47-88 | Retainer Spring                                             |
| 159     | 876 02 04-12 | Pin Cotter 1/8 x 3/4                                        |
| 160     | 532 16 94-84 | Retainer Clip                                               |
| 161     | 532 19 54-03 | Spring, Return, Clutch                                      |
| 162     | 532 19 57-85 | Spacer Transaxle                                            |
| 163     | 532 40 10-34 | Rod Pedal Control                                           |
| 166     | 532 19 72-90 | Nut Push .625                                               |
| 167     | 532 19 62-11 | Latch Brake Parking                                         |
| 169     | 874 49 05-60 | Bolt Hex Flghd 5/16-18 x 3.75                               |

| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 170     | 532 19 43-22 | Keeper Belt Centerspan           |
| 171     | 872 11 06-16 | Bolt RDHD SQNK 3/8-16UNC x 2     |
| 183     | 532 13 70-57 | Spacer Split                     |
| 184     | 532 40 31-18 | Handle Parking Brake             |
| 185     | 872 11 06-20 | Bolt Rdhd Sqnk 3/8-16 x 2-1/2    |
| 186     | 532 19 43-21 | Spacer Retainer                  |
| 187     | 819 13 32-10 | Washer                           |
| 188     | 532 19 43-23 | Link Clutch Ground Drive         |
| 189     | 532 19 43-17 | Bellcrank Ground Drive           |
| 190     | 532 19 43-18 | Keeper Bellcrank Ground Drive    |
| 196     | 817 00 06-16 | Screw 3/8-16 x 1                 |
| 197     | 532 19 58-04 | Bracket Clutch Anti-Rotation     |
| 205     | 532 12 17-48 | Washer                           |
| 206     | 532 19 78-67 | Bracket Mount Latch Cruise       |
| 207     | 532 19 78-68 | Latch Control Cruise             |
| 208     | 532 19 78-69 | Gear Sector Control Cruise       |
| 209     | 532 19 95-92 | Rod Control Cruise               |
| 210     | 532 19 78-60 | Rocker Asm. Pedal Control        |
| 211     | 532 12 01-83 | Bearing Nylon                    |
| 213     | 532 40 31-19 | Knob Control Cruise              |
| 214     | 532 40 17-22 | Pedal Forward                    |
| 215     | 532 40 17-23 | Pedal Reverse                    |
| 216     | 532 19 61-31 | Bracket Pulley Idler             |
| 218     | 874 78 05-20 | Bolt Fin Hex 5/16-18 unc x 1-1/4 |
| 219     | 532 19 57-80 | Spacer Fender                    |
| 220     | 532 19 89-08 | Reflector RH                     |
| 221     | 532 40 31-87 | Retainer Spring Clip Handle      |
| 222     | 819 21 20-10 | Washer 21/32 x 1-1/4 x 10 Ga.    |
| 225     | 532 40 33-19 | Keeper Belt Trans.               |
| 226     | 532 40 08-31 | Bracket Mount Touque             |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06**  
**STEERING ASSEMBLY**




steering-tex\_4-husq

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 19 39-43 | Wheel, Steering               |
| 2       | 532 19 59-68 | Axle Asm., Front              |
| 4       | 532 40 30-87 | Spindle Asm., LH              |
| 5       | 532 40 30-88 | Spindle Asm., RH              |
| 6       | 532 12 49-31 | Bearing, Race Thrust Harden   |
| 7       | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga. |
| 8       | 812 00 00-29 | Ring, Klip #T5304-75          |
| 9       | 532 12 12-32 | Cap, Spindle                  |
| 13      | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga. |
| 14      | 810 04 06-00 | Washer, Lock Hvy Hlcl Spr 3/8 |
| 15      | 873 54 06-00 | Nut, Crown Lock 3/8-24 unf    |
| 16      | 532 19 47-46 | Shaft Steering                |
| 19      | 532 19 47-29 | Plate Steering                |
| 21      | 532 18 67-37 | Adapter, Wheel Steering       |
| 22      | 532 19 48-45 | Bushing, Strg. Blk            |
| 26      | 532 19 36-52 | Insert, Wheel Steering        |
| 28      | 817 00 06-12 | Screw 3/8-16 x 3/4            |
| 35      | 532 19 47-32 | Gear, Sector Plate            |
| 45      | 819 18 38-12 | Washer 9/16 x 2-3/8 x 12 Ga.  |

| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 51      | 873 94 08-00 | Nut Hex Jam Toplock 1/2-20 unf      |
| 53      | 532 18 89-67 | Washer Hardened .793 x 1.637 x .060 |
| 57      | 532 19 72-46 | Bracket Upstop                      |
| 58      | 532 19 47-47 | Bolt Shoulder Sector Pivot CFM      |
| 59      | 532 19 47-48 | Washer Thrust Sector Steering       |
| 60      | 873 97 10-00 | Nut Flange Lock 5/8-11              |
| 61      | 532 19 47-40 | Draglink LH                         |
| 62      | 532 19 47-41 | Draglink, RH                        |
| 63      | 817 00 05-12 | Screw 5/16-18 x 3/4                 |
| 64      | 532 19 98-49 | Retainer Clip Spring Steering       |
| 66      | 871 02 07-48 | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67      | 532 19 47-37 | Bushing PM Front Axle               |
| 68      | 873 90 07-00 | Nut Lock Flange 7/16-14 Gr. 5       |
| 69      | 532 19 91-62 | Washer 1.5 x .505 x .118            |
| 70      | 532 19 61-97 | Bracket Deck Susp. Front            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06 ENGINE



## SPARK ARRESTER KIT

| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 1       | -----        | Engine Kawa Model No. FW430V       |
| 2       | 532 14 97-23 | Muffler                            |
| 9       | 532 19 43-20 | Keeper Belt Engine                 |
| 11      | 532 18 05-05 | Clutch Electric                    |
| 12      | 532 40 50-97 | Pulley Engine                      |
| 15      | 532 19 34-99 | Tank Fuel 4.0                      |
| 18      | 532 19 42-67 | Cap Asm                            |
| 20      | 532 18 29-37 | Control Throttle                   |
| 21      | 532 19 16-11 | Screw 10 x 3/4 Single Lead Hex     |
| 22      | 532 18 95-41 | Control Choke                      |
| 28      | 532 40 11-35 | Fuel Line                          |
| 29      | 532 13 71-80 | Spark Arrester Kit                 |
| 31      | 532 14 50-06 | Clip Push-In                       |
| 37      | 532 12 34-87 | Clamp Hose                         |
| 41      | 532 12 61-97 | Washer 1-1/2 OD x 15/32 ID x .250  |
| 42      | 810 04 07-00 | Washer Lock 7/16                   |
| 45      | 873 51 04-00 | Nut Keps Hex 1/4-20 unc            |
| 62      | 532 14 66-29 | Shield Heat Muffler                |
| 69      | 532 16 53-91 | Gasket (Order part from Eng. Mfg.) |
| 70      | 532 18 14-44 | Tube Exhaust LH                    |


| KEY NO. | PART NO.            | DESCRIPTION                      |
|---------|---------------------|----------------------------------|
| 71      | 532 18 14-42        | Tube Exhaust RH                  |
| 81      | 532 14 84-56        | Tube Drain Oil Easy              |
| 85      | 532 17 39-37        | Bolt Hex 7/16-20 x 4 x Gr. 5-1.5 |
| 86      | <b>532 18 43-62</b> | Nut Hex Flange Toplock M8-1.2    |
| 87      | 532 19 82-39        | Bolt 5/16-18 unc x 1 w/Sems      |
| 90      | 817 00 06-16        | Screw 3/8-16 x 1                 |
| 92      | 817 12 06-16        | Screw 3/8-16 x 1                 |
| --      | 532 18 74-95        | Bushing                          |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

For engine service and replacement parts, call the toll free number for your engine manufacturer listed below:

|                   |                |
|-------------------|----------------|
| Briggs & Stratton | 1-800-233-3723 |
| Kohler Co.        | 1-800-544-2444 |
| Tecumseh Products | 1-800-558-5402 |
| Honda Engines     | 1-800-426-7701 |
| Kawasaki          | 1-949-460-5688 |

**TRACTOR - MODEL NO.YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06**  
**SEAT ASSEMBLY**




| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 1       | 532 19 75-26 | Seat                         |
| 2       | 532 18 01-66 | Bracket Pivot Fender         |
| 3       | 532 14 06-75 | Strap, Asm Fender            |
| 5       | 532 14 50-06 | Clip, Push In, Hinged        |
| 6       | 873 80 06-00 | Nut, Lock W/Ins. 3/8-16 unc  |
| 7       | 532 12 41-81 | Spring, Seat Cprsn           |
| 8       | 532 17 18-77 | Bolt 5/16-18 uncx 3/4 w/Sems |
| 10      | 532 19 69-77 | Pan, Seat                    |
| 21      | 532 17 18-52 | Bolt, Shoulder 5/16-18       |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 37      | 873 80 05-00 | Nut, Lock 5/16-18 unc         |
| 40      | 532 19 76-61 | Handle Slide Seat             |
| 41      | 532 19 82-00 | Spring Latch Seat             |
| 43      | 874 76 06-12 | Bolt 3/8-16 x 3/4             |
| 44      | 819 13 38-12 | Washer 13/32 x 2-3/8 x 12 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm


**TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06**  
**DECALS**



| KEY NO. | PART NO.     | DESCRIPTION             |
|---------|--------------|-------------------------|
| 1       | 532 40 21-04 | Decal, Operator's       |
| 2       | 532 40 21-28 | Decal, Hood Insert      |
| 3       | 532 17 05-63 | Decal, Warning          |
| 8       | 532 16 03-96 | Decal, Mower Sch.       |
| 9       | 532 14 50-05 | Decal, Battery Dnge/Poi |
| 13      | 532 40 44-84 | Decal, Steering Whl     |
| 14      | 532 40 18-22 | Decal, Panel Side       |
| 15      | 532 18 09-41 | Decal, Cust. Resp.      |

| KEY NO. | PART NO.     | DESCRIPTION           |
|---------|--------------|-----------------------|
| 16      | 532 40 33-78 | Decal, Hood Logo      |
| 17      | 532 40 54-64 | Decal, Replacement    |
| --      | 532 16 69-60 | Decal, Bypass         |
| --      | 532 40 17-71 | Pad, Footrest, LH     |
| --      | 532 40 37-73 | Pad, Footrest, RH     |
| --      | 532 40 54-61 | Manual, Owner's (Eng) |
| --      | 532 40 54-62 | Manual, Owner's (Fr)  |


**WHEELS AND TIRES**



| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 1       | 532 05 91-92 | Cap, Valve, Tire                   |
| 2       | 532 06 51-39 | Stem, Valve                        |
| 3       | 532 13 83-36 | Rim Assembly, Front                |
| 4       | 532 00 81-34 | Tube, Front (Service Item Only)    |
| 5       | 532 10 62-22 | Tire, Front                        |
| 6       | 532 00 02-78 | Fitting, Grease (Front Wheel Only) |
| 7       | 532 00 90-40 | Bearing, Flange (Front Wheel Only) |
| 8       | 532 17 50-39 | Cap, Axle (Front Wheel Only)       |
| 9       | 532 12 20-82 | Tire, Rear                         |
| 10      | 532 00 71-54 | Tube, Rear (Service Item Only)     |
| 11      | 532 13 83-37 | Rim Assembly, Rear                 |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. Tube)        |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06**  
**MOWER DECK**




# TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06 MOWER DECK

| KEY NO. | PART NO.     | DESCRIPTION                                                         |
|---------|--------------|---------------------------------------------------------------------|
| 1       | 532 40 29-99 | Mower Deck Assembly, 42"                                            |
| 2       | 872 14 05-06 | Bolt Rdhd Sqnk 5/16-18 unc x 3/4                                    |
| 6       | 532 19 51-86 | Arm Susp. Rear                                                      |
| 8       | 532 19 30-03 | Bolt/Washer Asm 7/16-20 unf<br>(The following Blades are available) |
| 11      | 532 13 89-71 | Blade Mower 42" Hi-Lift (for bagging and discharging)               |
| --      | 532 13 41-49 | Blade, Mulching 42" Std (for mulching mowers only)                  |
| --      | 532 13 97-75 | Blade Mulching 42" Premium (For better wear when mulching)          |
| 13      | 532 19 28-72 | Shaft Assembly, Mandrel                                             |
| 14      | 532 18 72-81 | Housing, Mandrel                                                    |
| 15      | 532 11 04-85 | Bearing, Ball, Mandrel                                              |
| 16      | 532 17 44-93 | Stripper, Mandrel Deck                                              |
| 19      | 532 19 65-39 | Bolt, Shoulder                                                      |
| 20      | 532 15 97-70 | Baffle, Vortex                                                      |
| 21      | 873 68 05-00 | Nut                                                                 |
| 23      | 532 19 25-57 | Bracket, Deflector Mower 42"                                        |
| 24      | 532 10 53-04 | Cap, Sleeve 80 x 112 Blk Mower                                      |
| 25      | 532 19 70-26 | Spring, Torsion, Deflector                                          |
| 26      | 532 11 04-52 | Nut, Push Phos & Oil                                                |
| 27      | 532 40 30-04 | Shield, Deflector 42" Blk                                           |
| 28      | 819 11 10-16 | Washer 11/32 x 5/8 x 16 Ga.                                         |
| 29      | 532 13 14-91 | Rod, Hinge 42" 6 75 W/G                                             |
| 30      | 532 17 39-84 | Screw Thdrol                                                        |
| 31      | 532 18 76-90 | Washer, Spacer Mower Vented                                         |
| 32      | 532 17 34-36 | Pulley, Mandrel                                                     |
| 33      | 532 40 02-34 | Nut, Toplock                                                        |
| 34      | 872 11 06-12 | Bolt Carr SH 3/8-16 x 1-1/2 Gr.5                                    |
| 36      | 532 19 61-06 | Pulley, Idler, Flat                                                 |

| KEY NO. | PART NO.     | DESCRIPTION                                                                                      |
|---------|--------------|--------------------------------------------------------------------------------------------------|
| 40      | 873 90 06-00 | Nut Lock 3/8-16                                                                                  |
| 45      | 532 17 79-68 | Pulley Idler Glat                                                                                |
| 55      | 532 19 72-49 | Arm, Idler                                                                                       |
| 56      | 532 19 90-92 | Spacer, Retainer                                                                                 |
| 57      | 817 00 06-16 | Screw 3/8-16 x 1                                                                                 |
| 59      | 532 14 10-43 | Guard TUV Idler                                                                                  |
| 61      | 532 17 48-82 | Spring Ext Elect. Clutch                                                                         |
| 62      | 872 11 06-16 | Bolt Rdhd Sqnk 3/8-16 unc x 2                                                                    |
| 68      | 532 14 49-59 | V-Belt, 42" Mower                                                                                |
| 69      | 872 14 05-05 | Bolt, Carriage 5/16-18 x 5/8                                                                     |
| 111     | 532 17 92-92 | Bracket Wh Gauge RH                                                                              |
| 112     | 532 17 92-93 | Bracket Wh Gauge LH                                                                              |
| 113     | 817 00 05-10 | Screw 5/16-18                                                                                    |
| 116     | 532 00 48-98 | Bolt, Shoulder                                                                                   |
| 117     | 532 18 86-06 | Wheel, Gauge                                                                                     |
| 118     | 873 90 06-00 | Nut Centerlock 3/8-16                                                                            |
| 119     | 819 13 20-12 | Washer 13/32 x 1-1/4 x 12 Ga.                                                                    |
| 145     | 532 17 34-37 | Pulley Idler Flat                                                                                |
| 188     | 532 19 51-61 | Stud Fastner W/D Anti-Rotation                                                                   |
| 189     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                                                      |
| 190     | 532 19 72-51 | Spring Mower Drive                                                                               |
| --      | 532 19 28-70 | Mandrel Assembly (Includes Housing Shaft and Shaft Hardware Only - Pulley Not Included)          |
| --      | 532 40 12-28 | Replacement Mower, Complete (Std. deck Order separately gauge wheel componants Key Nos. 116-119) |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH1542XPT (96043000601), PRODUCT NO. 960 43 00-06**  
**MOWER LIFT**



| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 2       | 532 19 52-23 | Shaft Asm., Lift             |
| 3       | 532 19 52-30 | Lever Asm., Lift Rh          |
| 7       | 532 19 64-92 | Grip, Lever                  |
| 10      | 532 19 63-14 | Spring Torsion               |
| 87      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 19 53-04 | Spring Lift Assist           |
| 89      | 819 19 19-12 | Washer Clear Zinc            |

| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 90      | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock     |
| 91      | 532 19 51-81 | Link Lift Susp Mower Rear        |
| 97      | 817 06 06-12 | Screw 3/8-16 x .75 Smgml Tap/R.Z |
| 98      | 532 19 52-70 | Link Lift Susp. Front Mower      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm