

# YTH150 TWIN

Spare parts

Ersatzteile

Pièces détachées

Reserve onderdelen

Repuestos


Reservdelar

# ILLUSTRATED PARTS LIST

**MFG. ID NO. 96041002101**


**CUSTOMER CATALOG NO. YTH150TWIN**

**PRODUCT NO. 960 41 00-21**



413395


# TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21 DECALS



| KEY NO. | PART NO.     | DESCRIPTION                |
|---------|--------------|----------------------------|
| 1       | 532 18 21-66 | Decal, Cutfinger Warning   |
| 2       | 532 40 21-28 | Decal, Hood Insert         |
| 3       | 532 19 63-57 | Decal, Warning Symbol      |
| 4       | 532 14 08-37 | Decal, Brake Parking       |
| 5       | 532 40 03-89 | Decal, Warning Symbol CE   |
| 6       | 532 18 04-32 | Decal, Fender DB/CE        |
| 7       | 532 15 97-37 | Decal, Brake/Clutch Symbol |
| 8       | 532 16 03-96 | Decal, Mower Sch.          |
| 9       | 532 14 50-05 | Decal, Battery Dnge/Poi    |
| 10      | 532 15 97-36 | Decal, Hot Muffler         |
| 13      | 532 40 44-84 | Decal, Steering Whl        |

| KEY NO. | PART NO.     | DESCRIPTION                |
|---------|--------------|----------------------------|
| 14      | 532 40 85-98 | Decal, Panel Side          |
| 16      | 532 40 28-32 | Decal, Hood Logo           |
| 17      | 532 40 87-62 | Decal, Replacement         |
| --      | 532 19 68-41 | Decal, Warning Engine Sym. |
| --      | 532 16 69-60 | Decal, Bypass              |
| --      | 532 16 25-98 | Decal, Load Limit          |
| --      | 532 40 17-71 | Pad, Footrest, LH          |
| --      | 532 40 17-70 | Pad, Footrest, RH          |
| --      | 532 40 83-85 | Manual Oper. Euro          |
| --      | 532 40 83-86 | Manual Oper. Scand         |
| --      | 532 40 83-87 | Manual Oper. E-Bloc        |
| --      | 532 40 83-88 | Manual Oper. Baltic        |

## WHEELS AND TIRES




| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 1       | 532 05 91-92 | Cap, Valve, Tire                   |
| 2       | 532 06 51-39 | Stem, Valve                        |
| 3       | 532 13 83-36 | Rim Assembly, Front                |
| 4       | 532 05 99-04 | Tube, Front (Service Item Only)    |
| 5       | 532 10 62-22 | Tire, Front                        |
| 6       | 532 12 49-57 | Fitting, Grease (Front Wheel Only) |
| 7       | 532 12 49-59 | Bearing, Flange (Front Wheel Only) |
| 8       | 532 17 50-39 | Cap, Axle                          |
| 9       | 532 12 20-82 | Tire, Rear                         |
| 10      | 532 12 49-26 | Tube, Rear (Service Item Only)     |
| 11      | 532 13 83-37 | Rim Assembly, Rear                 |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. Tube)        |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm


TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21  
SCHEMATIC

SCH12



# TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21 ELECTRICAL

T07S




**TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21  
ELECTRICAL**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>               |
|--------------------|---------------------|----------------------------------|
| 1                  | 532 16 34-65        | Battery                          |
| 2                  | 874 76 04-12        | Bolt Hex Hd 1/4-20 unc x 3/4     |
| 8                  | 532 18 64-91        | Battery Box                      |
| 16                 | 532 17 61-38        | Switch Interlock                 |
| 21                 | 532 18 37-59        | Harness Socket Light             |
| 22                 | 532 00 41-52        | Bulb, Light #1156                |
| 24                 | 532 40 02-53        | Cable Battery                    |
| 25                 | 532 41 28-95        | Cable Starter                    |
| 26                 | 532 17 51-58        | Fuse                             |
| 27                 | 873 51 04-00        | Nut Keps Hex 1/4-20 unc          |
| 28                 | 532 14 54-91        | Cable Ground 21" Blk 6 Ga.       |
| 29                 | 532 40 15-45        | Switch Seat                      |
| 30                 | 532 19 33-50        | Switch Ign                       |
| 33                 | 532 41 19-35        | Key/Chain                        |
| 34                 | 532 11 07-12        | Switch Light/Reset               |
| 40                 | 532 19 42-76        | Harness Ign                      |
| 41                 | 817 72 04-08        | Screw Thd Cut 1/4-20 x 1/2       |
| 42                 | 532 13 15-63        | Cover Terminal Red               |
| 43                 | 532 19 25-07        | Solenoid                         |
| 46                 | 532 41 39-31        | Gauge Hourmeter                  |
| 50                 | 532 17 46-51        | Switch PTO                       |
| 55                 | 817 06 05-12        | Screw Thdrol 5/16-18 x 3/4       |
| 71                 | 532 40 11-04        | Harness Ign. Dash                |
| 79                 | 532 17 52-42        | Socket Asm Bulb Twistlock        |
| 90                 | 532 40 07-24        | Cover Terminal Battery           |
| 91                 | 532 19 02-70        | Strap Battery                    |
| 92                 | 532 19 66-15        | Harness Pigtail Console          |
| 93                 | 532 19 25-40        | Screw Plastic 10-14 x 2.0        |
| 94                 | 532 19 18-34        | Module Reverse                   |
| 99                 | 817 67 04-12        | Screw Hexwsh Thdrol 1/4-20 x 3/4 |
| 100                | 819 09 14-16        | Washer 9/32 x 7/8 x 16 Ga.       |
| 101                | 532 19 83-17        | Pigtail Harness                  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21 CHASSIS




# TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21 CHASSIS

| KEY NO. | PART NO.            | DESCRIPTION                    | KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|---------------------|--------------------------------|---------|--------------|-------------------------------|
| 5       | 532 40 87-01        | Dash                           | 195     | 532 40 41-37 | Plug 12v Adapter              |
| 14      | 532 41 10-46        | Hood                           | 196     | 532 40 02-99 | Console Asm. Deck Lift        |
| 15      | 532 19 89-07        | Lens LH                        | 199     | 532 19 82-59 | Plate Deck Lift               |
| 18      | 532 40 86-07        | Grille                         | 202     | 532 40 30-48 | Vent Side Hood RH             |
| 25      | 532 19 89-06        | Lens RH                        | 203     | 532 40 30-76 | Vent Side Hood LH             |
| 34      | 532 19 61-25        | Plate Engine                   | 204     | 532 41 66-13 | Vent Asm Hood Top             |
| 36      | 817 06 05-12        | Screw 5/16-18 x 3/4            | 205     | 532 40 17-09 | Skirt Hood Side RH            |
| 37      | 532 40 18-25        | Fender                         | 206     | 532 40 17-11 | Skirt Hood Side LH            |
| 52      | 873 68 05-00        | Nut Crown Lock 5/16-18         | 207     | 532 19 71-98 | Bezel RH                      |
| 58      | 532 41 12-81        | Drawbar Upper                  | 208     | 532 19 71-99 | Bezel LH                      |
| 68      | 817 49 05-08        | Screw 5/16-18 x 1/2            | 209     | 532 19 91-30 | Insert Hex Top RH             |
| 130     | 532 19 16-11        | Screw 10 x 3/4 Single Lead Hex | 210     | 532 19 91-31 | Insert Hex Top LH             |
| 137     | 532 40 75-90        | Bumper Hood/Dash               | 211     | 532 19 91-32 | Insert Hex Bottom RH          |
| 150     | 532 19 85-14        | Duct Heat Hood                 | 212     | 532 19 91-33 | Insert Hex Bottom LH          |
| 152     | 532 19 95-35        | Shield Browning/Debris         | 213     | 874 76 05-12 | Bolt Hex Hd 5/16-18 unc x 3/4 |
| 159     | <b>817 00 06-12</b> | Screw Hexwsh Thrd 3/8-16 x 3/4 | 214     | 532 19 91-45 | Clip Retainer                 |
| 161     | 532 40 18-26        | Console Fuel Window            | 217     | 532 40 91-67 | Rod Pivot                     |
| 162     | 532 14 24-32        | Screw Hex Wsh Hi-Lo 1/4 x 1/2  | 218     | 532 19 63-95 | Hood Stop                     |
| 165     | 532 19 68-26        | Bracket Support Tank           | 221     | 532 19 89-09 | Reflector LH                  |
| 175     | 532 19 63-04        | Crossmember                    | 228     | 532 19 51-61 | Stud Fastner                  |
| 176     | 532 40 07-76        | Screw 10-24 x 5/8 Rnd Qdrx     | 235     | 532 40 61-29 | Spacer Fender                 |
| 177     | 532 19 52-27        | Bushing Steering               | 236     | 873 93 05-00 | Nut Center Lock 5/16-18 unc   |
| 178     | 532 19 97-82        | Cargo Asm. Net                 | 289     | 532 40 35-71 | Phone Holder                  |
| 180     | 532 41 50-64        | Chassis                        | 296     | 532 40 86-06 | Trim Husq                     |
| 181     | 532 40 30-25        | Bushing Mtg. Fender Crgo.      | 298     | 532 11 04-52 | Nut Push                      |
| 182     | 532 40 68-59        | Dash Lower                     | 299     | 532 40 50-12 | Logo                          |
| 183     | 874 78 05-20        | Bolt Hex 5/16-18 x 1-1/4       |         |              |                               |
| 189     | 817 00 05-12        | Screw 5/16-18 x 3/4            |         |              |                               |
| 194     | 873 90 05-00        | Nut Lock Hex Flange 5/16-18    |         |              |                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21 DRIVE




drive-tex\_TuffTorq\_fender\_7

# TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21 DRIVE

| KEY NO. | PART NO.     | DESCRIPTION                                                  | KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|--------------------------------------------------------------|---------|--------------|-------------------------------|
| 1       | ----         | Transaxle, TUFFTORQ K46 BA<br>(Internal parts not available) | 167     | 532 40 52-57 | Latch Brake Parking           |
| 2       | 532 12 35-83 | Key                                                          | 170     | 532 19 43-22 | Keeper Belt Centerspan        |
| 15      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.                                | 171     | 872 11 06-16 | Bolt RDHD SQNK 3/8-16 unc x 2 |
| 17      | 532 41 36-78 | Spring Brake                                                 | 174     | 532 19 72-89 | Nut Push                      |
| 22      | 532 19 73-29 | Rod Shift                                                    | 175     | 532 40 62-08 | Shaft Asm Shift               |
| 23      | 532 12 12-74 | Knob                                                         | 176     | 532 19 62-14 | Arm Clevis Rod Shift          |
| 29      | 532 40 38-06 | Rod, Brake                                                   | 178     | 532 19 74-56 | Spring Shift                  |
| 33      | 812 00 00-01 | Ring E                                                       | 183     | 532 13 70-57 | Spacer Split                  |
| 35      | 532 19 95-91 | Rod Brake Park                                               | 184     | 532 40 31-18 | Handle Parking Brake          |
| 42      | 532 12 48-72 | Cover Foot Pedal                                             | 185     | 872 11 06-20 | Bolt Rdhd Sqnk 3/8-16 x 2-1/2 |
| 49      | 872 11 06-14 | Bolt                                                         | 186     | 532 19 43-21 | Spacer Retainer               |
| 50      | 532 19 43-27 | Pulley Idler Flat                                            | 187     | 819 13 32-10 | Washer                        |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                              | 188     | 532 19 43-23 | Link Clutch Ground Drive      |
| 52      | 532 19 43-26 | Idler V-Groove 910" Offset                                   | 189     | 532 19 43-17 | Bellcrank Ground Drive        |
| 56      | 532 13 09-69 | V-Belt Drive                                                 | 190     | 532 19 43-18 | Keeper Bellcrank Ground Drive |
| 64      | 532 19 62-00 | Shaft Asm. Pedal Brake Control                               | 196     | 817 00 06-16 | Screw 3/8-16 x 1              |
| 70      | 532 40 02-98 | Console Asm.                                                 | 197     | 532 19 58-04 | Link Clutch Anti-Rotation     |
| 73      | 874 49 05-44 | Bolt Hex Flghd 5/16-18 Gr. 5                                 | 205     | 532 12 17-48 | Washer                        |
| 74      | 532 14 24-32 | Screw 1/4 x 1/2                                              | 211     | 532 19 62-12 | Bushing Brake Shaft           |
| 80      | 532 41 00-24 | Strap Torque                                                 | 216     | 532 19 61-31 | Bracket Pulley Idler          |
| 99      | 532 40 59-03 | Rod Bypass                                                   | 221     | 532 40 31-87 | Retainer Spring Clip Handle   |
| 116     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                  | 225     | 532 40 33-19 | Keeper Belt Trans.            |
| 125     | 817 00 05-12 | Screw 5/16-18 x 3/4                                          | 226     | 532 40 15-64 | Bracket Mount Torque          |
| 143     | 817 49 05-08 | Screw 5/16-18 x 1/2                                          | 230     | 532 18 89-67 | Washer Hardened               |
| 153     | 532 12 47-88 | Retainer Spring                                              | 233     | 532 40 52-96 | Washer Serrated               |
| 159     | 876 02 04-12 | Pin Cotter 1/8 x 3/4                                         | 276     | 874 78 07-16 | Bolt 7/16-14 x 1 Gr. 5        |
| 160     | 532 16 94-84 | Retainer Clip                                                | 279     | 532 40 62-07 | Link Shift                    |
| 161     | 532 10 57-09 | Spring Return Clutch                                         |         |              |                               |
| 166     | 532 19 72-90 | Nut Push                                                     |         |              |                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21 ENGINE




| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | -----        | Engine Kawa Model No. FW430V      |
| 2       | 532 14 97-23 | Muffler                           |
| 9       | 532 19 43-20 | Keeper Belt Engine                |
| 11      | 532 18 05-05 | Clutch Electric                   |
| 12      | 532 40 50-97 | Pulley Engine                     |
| 15      | 532 19 34-99 | Tank Fuel 4.0                     |
| 18      | 532 19 42-67 | Cap Asm                           |
| 20      | 532 17 83-85 | Control Throttle                  |
| 21      | 532 19 16-11 | Screw 10 x 3/4 Single Lead Hex    |
| 22      | 532 19 15-96 | Control Choke                     |
| 28      | 532 14 21-58 | Fuel Line                         |
| 29      | 532 13 71-80 | Spark Arrester Kit                |
| 31      | 532 14 50-06 | Clip Push-In                      |
| 37      | 532 12 34-87 | Clamp Hose                        |
| 41      | 532 12 61-97 | Washer 1-1/2 OD x 15/32 ID x .250 |
| 42      | 810 04 07-00 | Washer Lock 7/16                  |

| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 45      | 873 51 04-00 | Nut Keps Hex 1/4-20 unc            |
| 62      | 532 14 66-29 | Shield Heat Muffler                |
| 69      | -----        | Gasket (Order part from Eng. Mfg.) |
| 70      | 532 18 14-44 | Tube Exhaust LH                    |
| 71      | 532 18 14-42 | Tube Exhaust RH                    |
| 81      | 532 14 84-56 | Tube Drain Oil Easy                |
| 85      | 532 17 39-37 | Bolt Hex 7/16-20 x 4 x Gr. 5-1.5   |
| 86      | 532 18 43-62 | Nut Hex Flange Toplock M8-1.2      |
| 87      | 532 19 82-39 | Bolt 5/16-18 unc x 1 w/Sems        |
| 90      | 817 00 06-16 | Screw 3/8-16 x 1                   |
| 92      | 817 12 06-16 | Screw 3/8-16 x 1                   |
| --      | 532 18 74-95 | Bushing                            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21

## SEAT ASSEMBLY




seat-tex\_7A-vgt

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 40 66-21 | Seat                          |
| 2       | 532 18 01-66 | Bracket Pivot Fender          |
| 3       | 532 14 06-75 | Strap, Asm Fender             |
| 6       | 873 80 06-00 | Nut, Lock w/Ins. 3/8-16 unc   |
| 7       | 532 12 41-81 | Spring, Seat Cprsn            |
| 8       | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems |
| 10      | 532 19 69-77 | Pan, Seat                     |
| 21      | 532 17 18-52 | Bolt, Shoulder 5/16-18        |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 37      | 873 80 05-00 | Nut, Lock 5/16-18 unc         |
| 40      | 532 19 76-61 | Handle Slide Seat             |
| 41      | 532 19 82-00 | Spring Latch Seat             |
| 43      | 874 76 06-12 | Bolt 3/8-16 x 3/4             |
| 44      | 819 13 38-12 | Washer 13/32 x 2-3/8 x 12 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21**  
**STEERING ASSEMBLY**




# TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21

## STEERING ASSEMBLY

| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 1       | 532 41 64-80 | Wheel, Steering Husq SR             |
| --      | 532 19 36-51 | Wheel, Steering Prem 2              |
| 2       | 532 19 59-68 | Axle Asm., Front                    |
| 4       | 532 40 30-87 | Spindle Asm., LH                    |
| 5       | 532 40 30-88 | Spindle Asm., RH                    |
| 6       | 532 12 49-31 | Bearing, Race Thrust Harden         |
| 7       | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.       |
| 8       | 812 00 00-29 | Ring, Klip #T5304-75                |
| 9       | 532 12 12-32 | Cap, Spindle                        |
| 13      | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.       |
| 14      | 810 04 06-00 | Washer, Lock Hvy Hlcl Spr 3/8       |
| 15      | 873 54 06-00 | Nut, Crown Lock 3/8-24 unf          |
| 16      | 532 19 47-46 | Shaft Steering                      |
| 19      | 532 19 47-29 | Plate Steering                      |
| 21      | 532 18 67-37 | Adapter, Wheel Steering             |
| 22      | 532 19 48-45 | Bushing, Strg. Blk                  |
| 26      | 532 41 59-87 | Insert, Wheel Steering Husq SR      |
| --      | 532 19 36-52 | Insert, Wheel Steering Prem 2       |
| 28      | 817 00 06-12 | Screw 3/8-16 x 3/4                  |
| 35      | 532 19 47-32 | Gear, Sector Plate                  |
| 45      | 819 18 38-12 | Washer 9/16 x 2-3/8 x 12 Ga.        |
| 51      | 873 94 08-00 | Nut Hex Jam Toplock 1/2-20 unf      |
| 53      | 532 18 89-67 | Washer Hardened .793 x 1.637 x .060 |
| 57      | 532 40 74-65 | Bracket Upstop                      |
| 58      | 532 19 47-47 | Bolt Shoulder Sector Pivot CFM      |
| 59      | 532 19 47-48 | Washer Thrust Sector Steering       |
| 60      | 873 97 10-00 | Nut Flange Lock 5/8-11              |
| 61      | 532 19 47-40 | Draglink, LH                        |
| 62      | 532 19 47-41 | Draglink, RH                        |
| 63      | 817 00 05-12 | Screw 5/16-18 x 3/4                 |
| 64      | 532 19 98-49 | Retainer Clip Spring Steering       |
| 66      | 871 02 07-48 | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67      | 532 19 47-37 | Bushing PM Front Axle               |
| 68      | 873 90 07-00 | Nut Lock Flange 7/16-14 Gr. 5       |
| 69      | 532 19 91-62 | Washer 1.5 x .505 x .118            |
| 70      | 532 19 61-97 | Bracket Deck Susp. Front            |
| 118     | 532 40 60-13 | Bushing, Metal, Axle, Cast          |
| 228     | 532 40 44-84 | Decal, Wheel Steering               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21**  
**MOWER DECK**




# TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21 MOWER DECK

| KEY NO. | PART NO.     | DESCRIPTION                                           | KEY NO. | PART NO.     | DESCRIPTION                                                                                                                   |
|---------|--------------|-------------------------------------------------------|---------|--------------|-------------------------------------------------------------------------------------------------------------------------------|
| 1       | 532 19 64-95 | Mower Deck Assembly, 42"                              | 56      | 532 19 90-92 | Spacer, Retainer                                                                                                              |
| 6       | 532 19 51-86 | Arm Susp. Rear                                        | 57      | 817 00 06-16 | Screw 3/8-16 x 1                                                                                                              |
| 8       | 532 19 30-03 | Bolt/Washer Asm 7/16-20 unf                           | 59      | 532 14 10-43 | Guard TUV Idler                                                                                                               |
| 11      | 532 13 89-71 | Blade Mower 42" Hi-Lift (for bagging and discharging) | 62      | 872 11 06-16 | Bolt Rdhd Sqnk 3/8-16 unc x 2                                                                                                 |
| 13      | 532 19 28-72 | Shaft Assembly, Mandrel                               | 68      | 532 14 49-59 | V-Belt, 42" Mower                                                                                                             |
| 14      | 532 18 72-81 | Housing, Mandrel                                      | 69      | 872 14 05-05 | Bolt, Carriage 5/16-18 x 5/8                                                                                                  |
| 15      | 532 11 04-85 | Bearing, Ball, Mandrel                                | 97      | 532 17 85-15 | Washer Flat Hardened                                                                                                          |
| 16      | 532 17 44-93 | Stripper, Mandrel Deck                                | 116     | 532 12 48-42 | Bolt, Shoulder                                                                                                                |
| 19      | 532 19 65-39 | Bolt, Shoulder                                        | 117     | 532 18 86-06 | Wheel, Gauge                                                                                                                  |
| 20      | 532 15 97-70 | Baffle, Vortex                                        | 118     | 873 93 06-00 | Nut Centerlock 3/8-16                                                                                                         |
| 21      | 873 68 05-00 | Nut                                                   | 119     | 819 12 14-14 | Washer 3/8 x 7/8 x 14 Ga.                                                                                                     |
| 23      | 532 19 25-57 | Bracket, Deflector Mower 42"                          | 145     | 532 19 31-97 | Pulley Idler Primary                                                                                                          |
| 24      | 532 10 53-04 | Cap, Sleeve 80 x 112 Blk Mower                        | 188     | 532 19 51-61 | Stud Fastner W/D Anti-Rotation                                                                                                |
| 25      | 532 19 70-26 | Spring, Torsion, Deflector                            | 189     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                                                                                   |
| 26      | 532 11 04-52 | Nut, Push Phos & Oil                                  | 190     | 532 19 72-51 | Spring Mower Drive                                                                                                            |
| 27      | 532 40 30-04 | Shield, Deflector 42" Blk                             | - -     | 532 19 28-70 | Mandrel Assembly (Includes housing, shaft assembly, and bearing only - pulley/nut/washer and blade bolt/washers not included) |
| 29      | 532 13 14-91 | Rod, Hinge 42" 6 75 W/G                               |         |              |                                                                                                                               |
| 30      | 532 17 39-84 | Screw Thdrol                                          |         |              |                                                                                                                               |
| 31      | 532 18 76-90 | Washer, Spacer Mower Vented                           | - -     | 532 19 97-50 | Replacement Mower, Complete (Std. deck Order separately gauge wheel components Key Nos. 116-119)                              |
| 32      | 532 15 35-35 | Pulley, Mandrel                                       |         |              |                                                                                                                               |
| 33      | 532 40 02-34 | Nut, Toplock                                          |         |              |                                                                                                                               |
| 34      | 872 11 06-12 | Bolt Carr SH 3/8-16 x 1-1/2 Gr. 5                     |         |              |                                                                                                                               |
| 36      | 532 19 73-79 | Pulley, Idler, Flat                                   |         |              |                                                                                                                               |
| 40      | 873 90 06-00 | Nut Lock 3/8-16                                       |         |              |                                                                                                                               |
| 55      | 532 19 72-49 | Arm, Idler                                            |         |              |                                                                                                                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH150TWIN (96041002101), PRODUCT NO. 960 41 00-21**  
**MOWER LIFT**



| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 2       | 532 19 52-23 | Shaft Asm., Lift             |
| 3       | 532 19 52-30 | Lever Asm., Lift RH          |
| 7       | 532 19 64-92 | Grip, Lever                  |
| 10      | 532 19 63-14 | Spring Torsion               |
| 87      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 41 07-10 | Spring Lift Assist           |
| 89      | 819 19 19-12 | Washer Clear Zinc            |

| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 90      | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock |
| 91      | 532 19 51-81 | Link Lift Susp Mower Rear    |
| 97      | 817 00 06-12 | Screw 3/8-16 x 3/4           |
| 98      | 532 19 52-70 | Link Lift Susp. Front Mower  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

