


ILLUSTRATED PARTS LIST

MODEL NO. 96041002907

CUSTOMER CATALOG NO. LT152

PRODUCT NO. 960 41 00-29


47



430035

TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29


DECALS 27



KEY NO.	PART NO.	DESCRIPTION
1	532 40 03-89	Decal, Operators
2	581 62 73-01	Decal, Emblem
3	532 18 21-66	Decal, Cutfinger
4	532 43 77-91	Decal, Hood Panel
5	532 19 68-41	Decal, Engine
6	532 43 00-35	Decal, Replacement
8	532 19 63-57	Decal, Deflect
9	532 14 50-05	Decal, Battery Dnge/Poi
10	532 15 97-36	Decal, Chassis Hot Muffler
11	532 15 97-37	Decal, Brake/Clutch

KEY NO.	PART NO.	DESCRIPTION
12	532 16 03-96	Decal, Mower V-Belt Schematic
13	532 14 08-37	Decal, Saddle
14	532 18 04-32	Decal, Fender DB/CE
--	532 16 25-98	Decal, Drawbar
--	532 43 96-81	Pad, Footrest, LH
--	532 43 99-66	Pad, Footrest, RH
--	532 43 40-82	Manual, Operator's (Euro)
--	532 43 40-83	Manual, Operator's (Scand)
--	532 43 40-84	Manual, Operator's (E-Bloc)
--	532 43 40-85	Manual, Operator's (Baltic)

WHEELS AND TIRES




KEY NO.	PART NO.	DESCRIPTION
1	532 05 91-92	Cap Valve Tire
2	532 06 51-39	Stem Valve
3	532 13 83-36	Rim Asm 6" Front
4	532 05 99-04	Tube Front
5	532 10 62-22	Tire F T 15 x 6.0 - 6"
6	532 12 49-57	Fitting Grease (Front Wheel Only)
7	532 12 49-59	Bearing Flange (Front Wheel Only)
8	532 17 50-39	Cap Axle Blk 1 50 x 1 00
9	532 42 05-31	Tire R 18 x 9.5-8 Turf Saver LT
10	532 12 49-26	Tube Rear
11	532 13 83-37	Rim Asm 8" Rear
--	532 14 43-34	Sealant, Tire (10 oz. Tube)

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm


TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29
SCHEMATIC **38**

SCH10



TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29
ELECTRICAL 32

T02S




TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29
ELECTRICAL 32

KEY NO.	PART NO.	DESCRIPTION
1	532 16 34-65	Battery
2	874 76 04-12	Bolt Hex Head 1/4-20 x 3/4
8	532 19 32-28	Box Battery
16	532 17 61-38	Switch Interlock Push-In
21	532 40 02-52	Harness Socket Light w/4152J
22	532 00 41-52	Bulb Light
25	532 41 28-94	Cable Starter
26	532 17 51-58	Fuse
27	873 51 04-00	Nut Keps Hex 1/4-20 unc
28	532 19 88-85	Cable, Ground
29	532 40 15-45	Switch, Seat
30	532 19 33-50	Switch, Ign
33	532 41 19-35	Key/Chain
34	532 11 07-12	Switch Light / Reset
40	532 40 10-98	Harness Ign. Dash
41	817 72 04-08	Screw Thd Cut 1/4-20 x 1/2
42	532 13 15-63	Cover Square Terminal
43	532 19 25-07	Solenoid
55	817 06 05-12	Screw Thdrol 5/16-18 x 3/4
71	532 40 04-49	Harness Chassis
79	532 17 52-42	Socket Asm Bulb
87	532 19 78-02	Switch Interlock Clutch Cable
90	532 43 53-95	Cover, Terminal
92	532 19 66-15	Harness Pigtail Reverse Switch
93	532 19 25-40	Screw Plastite 10-14 x 2.0
94	532 19 18-34	Module Reverse ROS

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29
CHASSIS AND ENCLOSURES **39**



chassis-tex_TEX LT HUSQ_45_r1

TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29

CHASSIS AND ENCLOSURES **39**

KEY NO.	PART NO.	DESCRIPTION
3	581 05 63-01	Logo
5	532 43 89-64	Dash
6	532 40 48-83	Clip Tinnerman
14	532 44 12-67	Hood
15	532 44 14-28	Lens LH
18	532 44 13-68	Grille
25	532 44 14-27	Lens RH
34	532 44 72-53	Plate Engine
36	817 06 05-12	Screw 5/16-18 x 3/4
37	532 44 12-66	Fender
52	873 68 05-00	Nut Lock 5/16-18
58	532 41 22-80	Drawbar, Upper
68	817 49 05-08	Screw Thdrol 5/16-18 x 1/2
125	581 68 48-01	Clip Fuel Line
130	532 41 63-58	Screw#10 x 0.750 BOS Thread
137	532 40 75-90	Bumper Dash
146	581 85 79-01	Bolt
150	532 40 75-37	Air Duct
151	532 40 78-07	Bracket Pivot
152	532 19 95-35	Shield Browning
159	817 00 06-12	Screw Hexwsh Thdrol 3/8-16 x 3/4
162	532 14 24-32	Screw
175	532 19 94-72	Crossmember
176	532 40 07-76	Screw 10-24 x 5/8
177	532 19 52-28	Bushing Steering
180	532 41 50-63	Chassis
182	532 40 71-76	Dash Lower
183	874 78 05-20	Bolt 5/16-18 unc x 1-1/4
189	817 00 05-12	Screw 5/16-18 x 3/4
191	532 41 65-01	Insert Reflective RH

KEY NO.	PART NO.	DESCRIPTION
194	873 90 05-00	Nut Lock Hex Flange 5/16-18
195	532 43 99-76	Plug Dash
199	532 41 34-85	Plate Deck Lift Husqvarna LT
202	532 44 13-42	Vent Side Hood RH
203	532 44 13-43	Vent Side Hood LH
204	532 44 13-75	Vent Top Hood
205	532 44 13-44	Skirt Side RH
206	532 43 13-45	Skirt Side LH
213	874 76 05-12	Bolt Hex 5/16-18 unc x 3/4
214	532 19 91-45	Clip Retainer
217	532 40 91-67	Rod Pivot Hood
218	532 19 63-95	X-Piece Hood Stop
228	532 19 51-61	Stud Fastener
234	532 40 47-42	Bumper Hood
235	532 40 61-29	Spacer Fender
236	873 93 05-00	Nut Centerlock 5/16-18 unc
238	532 44 13-74	Trim
282	532 41 41-10	Clip Retainer Console
283	532 44 20-39	Console Deck Lift Husq N/FR GR
284	532 44 33-30	Console SHFT HYD HUSQ LT
285	532 41 63-15	Console INSRT RH HUSQ
286	532 41 63-17	Console INSRT LH HUSQ
287	817 60 04-06	Screw Hex WASHEAD 1/4-20 x 3/8
297	532 40 66-65	Insert Reflective LH
306	873 90 06-00	Nut Lock

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

This diagram illustrates the exploded view of a drive-tex_peerless_fender_36 assembly. The main components are labeled with numbers, including the fender (56), the drive unit (1), and various mounting brackets and hardware. Key parts shown include:

- Fender (56):** The main outer panel.
- Drive Unit (1):** The central mechanical component.
- Mounting Brackets:** Various brackets like 172, 174, 175, 176, 178, 183, 186, 189, 190, 195, and 203.
- Hardware:** Numerous screws (e.g., 125, 139, 140, 141, 157, 158, 160, 161, 165, 166, 172, 174, 175, 176, 178, 183, 186, 187, 189, 190, 192, 193, 195, 202, 203, 205, 221, 232, 233), bolts (e.g., 125, 139, 140, 141, 157, 158, 160, 161, 165, 166, 172, 174, 175, 176, 178, 183, 186, 187, 189, 190, 192, 193, 195, 202, 203, 205, 221, 232, 233), and rollers (e.g., 50, 51, 52).
- Other Components:** A cable (35), a spring (161), a pulley (50), a wheel (51), a disc (61), a handle (2), a lever (26), a pin (2), a clip (22), a bracket (29), a bush (33), a pin (37), a pin (73), a pin (15), a pin (159), a pin (184), a pin (185), a pin (186), a pin (187), a pin (189), a pin (190), a pin (192), a pin (193), a pin (195), a pin (202), a pin (203), a pin (205), a pin (221), a pin (232), a pin (233), a pin (235), a pin (236), a pin (237), a pin (238), a pin (239), a pin (240), a pin (241), a pin (242), a pin (243), a pin (244), a pin (245), a pin (246), a pin (247), a pin (248), a pin (249), a pin (250), a pin (251), a pin (252), a pin (253), a pin (254), a pin (255), a pin (256), a pin (257), a pin (258), a pin (259), a pin (260), a pin (261), a pin (262), a pin (263), a pin (264), a pin (265), a pin (266), a pin (267), a pin (268), a pin (269), a pin (270), a pin (271), a pin (272), a pin (273), a pin (274), a pin (275), a pin (276), a pin (277), a pin (278), a pin (279), a pin (280), a pin (281), a pin (282), a pin (283), a pin (284), a pin (285), a pin (286), a pin (287), a pin (288), a pin (289), a pin (290), a pin (291), a pin (292), a pin (293), a pin (294), a pin (295), a pin (296), a pin (297), a pin (298), a pin (299), a pin (300), a pin (301), a pin (302), a pin (303), a pin (304), a pin (305), a pin (306), a pin (307), a pin (308), a pin (309), a pin (310), a pin (311), a pin (312), a pin (313), a pin (314), a pin (315), a pin (316), a pin (317), a pin (318), a pin (319), a pin (320), a pin (321), a pin (322), a pin (323), a pin (324), a pin (325), a pin (326), a pin (327), a pin (328), a pin (329), a pin (330), a pin (331), a pin (332), a pin (333), a pin (334), a pin (335), a pin (336), a pin (337), a pin (338), a pin (339), a pin (340), a pin (341), a pin (342), a pin (343), a pin (344), a pin (345), a pin (346), a pin (347), a pin (348), a pin (349), a pin (350), a pin (351), a pin (352), a pin (353), a pin (354), a pin (355), a pin (356), a pin (357), a pin (358), a pin (359), a pin (360), a pin (361), a pin (362), a pin (363), a pin (364), a pin (365), a pin (366), a pin (367), a pin (368), a pin (369), a pin (370), a pin (371), a pin (372), a pin (373), a pin (374), a pin (375), a pin (376), a pin (377), a pin (378), a pin (379), a pin (380), a pin (381), a pin (382), a pin (383), a pin (384), a pin (385), a pin (386), a pin (387), a pin (388), a pin (389), a pin (390), a pin (391), a pin (392), a pin (393), a pin (394), a pin (395), a pin (396), a pin (397), a pin (398), a pin (399), a pin (400), a pin (401), a pin (402), a pin (403), a pin (404), a pin (405), a pin (406), a pin (407), a pin (408), a pin (409), a pin (410), a pin (411), a pin (412), a pin (413), a pin (414), a pin (415), a pin (416), a pin (417), a pin (418), a pin (419), a pin (420), a pin (421), a pin (422), a pin (423), a pin (424), a pin (425), a pin (426), a pin (427), a pin (428), a pin (429), a pin (430), a pin (431), a pin (432), a pin (433), a pin (434), a pin (435), a pin (436), a pin (437), a pin (438), a pin (439), a pin (440), a pin (441), a pin (442), a pin (443), a pin (444), a pin (445), a pin (446), a pin (447), a pin (448), a pin (449), a pin (450), a pin (451), a pin (452), a pin (453), a pin (454), a pin (455), a pin (456), a pin (457), a pin (458), a pin (459), a pin (460), a pin (461), a pin (462), a pin (463), a pin (464), a pin (465), a pin (466), a pin (467), a pin (468), a pin (469), a pin (470), a pin (471), a pin (472), a pin (473), a pin (474), a pin (475), a pin (476), a pin (477), a pin (478), a pin (479), a pin (480), a pin (481), a pin (482), a pin (483), a pin (484), a pin (485), a pin (486), a pin (487), a pin (488), a pin (489), a pin (490), a pin (491), a pin (492), a pin (493), a pin (494), a pin (495), a pin (496), a pin (497), a pin (498), a pin (499), a pin (500), a pin (501), a pin (502), a pin (503), a pin (504), a pin (505), a pin (506), a pin (507), a pin (508), a pin (509), a pin (510), a pin (511), a pin (512), a pin (513), a pin (514), a pin (515), a pin (516), a pin (517), a pin (518), a pin (519), a pin (520), a pin (521), a pin (522), a pin (523), a pin (524), a pin (525), a pin (526), a pin (527), a pin (528), a pin (529), a pin (530), a pin (531), a pin (532), a pin (533), a pin (534), a pin (535), a pin (536), a pin (537), a pin (538), a pin (539), a pin (540), a pin (541), a pin (542), a pin (543), a pin (544), a pin (545), a pin (546), a pin (547), a pin (548), a pin (549), a pin (550), a pin (551), a pin (552), a pin (553), a pin (554), a pin (555), a pin (556), a pin (557), a pin (558), a pin (559), a pin (560), a pin (561), a pin (562), a pin (563), a pin (564), a pin (565), a pin (566), a pin (567), a pin (568), a pin (569), a pin (570), a pin (571), a pin (572), a pin (573), a pin (574), a pin (575), a pin (576), a pin (577), a pin (578), a pin (579), a pin (580), a pin (581), a pin (582), a pin (583), a pin (584), a pin (585), a pin (586), a pin (587), a pin (588), a pin (589), a pin (590), a pin (591), a pin (592), a pin (593), a pin (594), a pin (595), a pin (596), a pin (597), a pin (598), a pin (599), a pin (600), a pin (601), a pin (602), a pin (603), a pin (604), a pin (605), a pin (606), a pin (607), a pin (608), a pin (609), a pin (610), a pin (611), a pin (612), a pin (613), a pin (614), a pin (615), a pin (616), a pin (617), a pin (618), a pin (619), a pin (620), a pin (621), a pin (622), a pin (623), a pin (624), a pin (625), a pin (626), a pin (627), a pin (628), a pin (629), a pin (630), a pin (631), a pin (632), a pin (633), a pin (634), a pin (635), a pin (636), a pin (637), a pin (638), a pin (639), a pin (640), a pin (641), a pin (642), a pin (643), a pin (644), a pin (645), a pin (646), a pin (647), a pin (648), a pin (649), a pin (650), a pin (651), a pin (652), a pin (653), a pin (654), a pin (655), a pin (656), a pin (657), a pin (658), a pin (659), a pin (660), a pin (661), a pin (662), a pin (663), a pin (664), a pin (665), a pin (666), a pin (667), a pin (668), a pin (669), a pin (670), a pin (671), a pin (672), a pin (673), a pin (674), a pin (675), a pin (676), a pin (677), a pin (678), a pin (679), a pin (680), a pin (681), a pin (682), a pin (683), a pin (684), a pin (685), a pin (686), a pin (687), a pin (688), a pin (689), a pin (690), a pin (691), a pin (692), a pin (693), a pin (694), a pin (695), a pin (696), a pin (697), a pin (698), a pin (699), a pin (700), a pin (701), a pin (702), a pin (703), a pin (704), a pin (705), a pin (706), a pin (707), a pin (708), a pin (709), a pin (710), a pin (711), a pin (712), a pin (713), a pin (714), a


TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29

DRIVE **40**

KEY NO.	PART NO.	DESCRIPTION
1	— — — — —	Transaxle, Peerless 206-565 (197941)(Order parts from transaxle manufacturer)
2	532 12 35-83	Key Square
15	819 13 13-16	Washer 13/32 x 13/16 x 16 Ga.
17	532 19 72-97	Spring, Brake
22	532 19 76-60	Rod Shift
23	532 12 12-74	Knob
26	532 19 74-55	Spring Brake Return
29	532 19 72-67	Rod, Brake
33	812 00 00-01	Ring E
35	532 40 10-31	Rod, Brake, Park
37	532 12 17-49	Washer 25/32 x 1-1/4 x 16 Ga.
42	532 12 48-72	Cover, Foot Pedal
49	872 11 06-14	Bolt
50	532 19 43-27	Pulley Idler Flat
51	873 90 06-00	Lock Nut 3/8-16
52	532 19 43-26	Idler V-Groove
56	532 19 43-46	V-Belt, Drive
61	532 12 36-66	Pulley Transaxle
64	532 19 62-00	Shaft Asm. Pedal Brake Control
73	874 49 05-40	Bolt Hex Flgld 5/16-18 Gr. 5
116	873 90 05-00	Nut Lock Hex Flange 5/16-18
125	817 00 05-12	Screw 5/16-18 x 3/4
134	532 19 78-57	Asm Shift
139	874 55 04-12	Bolt 1/4-28 unf Gr. 8 w/Patch
140	810 04 04-00	Washer Lock Hvy Helical 1/4
141	819 09 12-10	Washer 9/32 x 3/4 x 10 Ga.
155	812 00 00-28	Ring Retainer
157	532 10 57-01	Washer Plate Shift
158	532 19 43-52	Belt Keeper
159	876 02 04-12	Pin Cotter 1/8 x 3/4

KEY NO.	PART NO.	DESCRIPTION
160	532 16 94-84	Retainer Clip
161	532 10 57-09	Spring, Return, Clutch
165	532 19 62-12	Busing Shaft Brake Hand Control
166	532 42 91-64	Nut Push .625
167	532 40 52-57	Latch Brake Parking
172	532 19 76-57	Strap Torque LH
174	532 19 72-89	Nut Push
175	532 19 78-58	Shaft Asm. Shift
176	532 19 62-14	Arm Clevis Rod Shift
178	532 19 74-56	Spring Shift
183	532 13 70-57	Spacer Axle
184	532 44 14-07	Handle Parking Brake
185	872 11 06-22	Bolt 3/8-16 unc x 2-3/4 Gr. 5
186	532 19 43-21	Spacer Retainer
187	819 13 32-10	Washer
188	532 19 43-23	Link Clutch Ground Drive
189	532 19 43-17	Bellcrank Ground Drive
190	532 19 43-18	Keeper Bellcrank Ground Drive
192	532 15 03-60	Nut Lock Center 1/4-28 Fnthd
193	817 06 05-12	Screw 5/16-18 x 3/4
195	532 19 73-32	Bracket Brake Rod
202	532 19 78-59	Link Transaxle
203	819 11 11-16	Washer 11/32 x 11/16 x 16 Ga.
205	532 12 17-48	Washer 25/32 x 1-5/8 16 Ga.
221	532 40 31-87	Retainer Spring Clip Handle
232	874 78 07-16	Bolt Hex 7/16-14 x 1 Gr. 5
233	532 40 52-96	Washer Serrated

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm



engine-tex_kohl_23

TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29
ENGINE 24

KEY NO.	PART NO.	DESCRIPTION
1	— — — — —	Engine Kohler Model No. SV470-3212 (438330) (Order parts from engine manufacturer)
2	532 18 86-55	Muffler
9	532 19 43-19	Keeper Belt Engine
12	532 40 19-85	Pulley Engine
15	532 40 75-45	Tank Fuel
18	532 43 02-20	Cap Fuel
20	532 18 38-97	Control Throttle
21	532 41 63-58	Screw #10 x 0.750 BOS Thread
28	532 13 70-40	Fuel Line
29	532 13 71-80	Spark Arrester Kit
37	532 12 34-87	Clamp Hose
42	810 04 07-00	Washer Lock 7/16
45	873 51 04-00	Nut Keps Hex 1/4-20 unc
69	532 18 59-09	Gasket
83	532 17 18-77	Bolt 5/16-18 unc x 3/4 w/Sems
85	532 17 39-37	Bolt Hex 7/16-20 x 4 Gr. 5
86	532 19 23-34	Screw Socket HD 5/16-18 x .75
90	817 00 06-16	Screw 3/8-16 x 1
92	817 12 06-16	Screw 3/8-16 x 1
94	532 18 86-54	Tube Exhaust
96	819 09 14-16	Washer 9/32 x 7/8 x 16 Gr.
97	817 67 04-12	Screw Hexwsh Thdrol 1/4-20 x 3/4
122	532 42 19-22	Extension Oil Drain

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm


[illegible]

TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29
STEERING ASSEMBLY [41]

KEY NO.	PART NO.	DESCRIPTION
1	532 43 97-40	Wheel, Steering Husq SR
2	532 41 81-68	Axle Asm., Front
4	532 40 30-87	Spindle Asm., LH
5	532 40 30-88	Spindle Asm., RH
6	532 12 49-31	Washer, Thrust Hardened
7	532 12 17-48	Washer 25/32 x 1-5/8 x 16 Ga.
8	812 00 00-29	Ring, Klip #T5304-75
9	532 12 12-32	Cap, Spindle
13	532 12 17-49	Washer 25/32 x 1-1/4 x 16 Ga.
14	810 04 06-00	Washer, Lock Hvy Hlcl Spr 3/8
15	873 54 06-00	Nut, Crown Lock 3/8-24 unf
16	532 42 93-73	Shaft Steering
19	532 19 47-29	Plate Steering
20	532 44 14-25	Boot, Steering
21	532 18 67-37	Adapter, Wheel Steering
22	532 42 05-37	Steering Support
26	532 43 97-43	Insert, Wheel Steering Husq
28	817 00 06-12	Screw 3/8-16 x 3/4
33	810 04 05-00	Washer Lock 5/16
35	532 19 47-32	Gear, Sector Plate
45	819 11 38-12	Washer 11/32 ID x 2-3/8 x 12 Ga.
53	532 18 89-67	Washer Hardened .793 x 1.637 x .060
57	532 40 74-65	Bracket Upstop
58	532 19 47-47	Bolt Shoulder Sector Pivot CFM
59	532 19 47-48	Washer Thrust Sector Steering
60	873 97 10-00	Nut Flange Lock 5/8-11
61	532 19 47-40	Draglink LH
62	532 19 47-41	Draglink, RH
63	817 00 05-12	Screw 5/16-18 x 3/4
64	532 19 98-49	Retainer Clip Spring Steering
66	871 02 07-48	Bolt Hex Fghd 7/16-14 x 3 Serr
67	532 19 47-37	Bushing PM Front Axle
68	873 90 07-00	Nut Lock Flange 7/16-14 Gr. 5
69	532 19 91-62	Washer 1.5 x .505 x .118
70	532 19 61-97	Bracket Deck Susp. Front
71	532 19 07-52	Shaft Ext Steering
72	532 42 89-82	Bolt Fin. Hx. 5/16-18 x 4
74	532 12 49-37	Bearing
122	532 44 49-62	Cap Gear Sector

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29
MOWER DECK 44




TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29

MOWER DECK **44**

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 43 98-17	Mower Housing	60	532 19 72-61	Arm Brake Mower
6	532 19 51-86	Arm Suspension	62	872 11 06-16	Bolt Rd Hd Sq Nk 3/8-16 unc x 2
7	532 41 63-58	Screw #10 x 0.750 BOS Thread	63	532 19 94-77	Arm Brake Mower
8	532 19 30-03	Bolt/Washer Asm 7/16-20 unf	64	532 19 99-18	Link Brake
11	532 13 89-71	Blade, 42" Hi-Lift (For bagging or discharge)	67	532 40 30-12	Handle Clutch Cable
13	532 19 28-72	Shaft Assembly, Mandrel	68	532 42 96-36	V-Belt
14	532 18 72-81	Housing, Mandrel	69	872 14 05-05	Bolt
15	532 11 04-85	Bearing, Ball, Mandrel	70	532 40 12-46	Clutch Asm Manual
19	532 19 65-39	Bolt, Shoulder	113	817 00 05-10	Screw 5/16-18
20	532 15 97-70	Baffle, Vortex	116	532 12 48-42	Bolt, Shoulder
21	873 68 05-00	Nut, Crownlock 5/16-18 unc	117	532 18 86-06	Wheel, Gauge
23	532 19 25-57	Bracket, Deflector	119	819 12 14-14	Washer 13/32 x 7/8 x 14 Ga.
24	532 10 53-04	Cap, Sleeve	122	532 19 72-58	Keeper Belt Engine LH
25	532 19 70-26	Spring, Torsion, Deflector	123	532 19 72-59	Keeper Belt Engine RH
26	532 11 04-52	Nut, Push	144	532 19 92-04	Keeper Belt
27	532 40 30-04	Shield, Deflector	145	532 19 31-97	Pulley, Idler, Flat
29	532 13 14-91	Rod, Hinge	147	532 40 19-71	Spring Return
30	532 17 39-84	Screw Thdrol Rolling Wsh Hd	152	532 43 51-11	Manual Clutch Cable
31	532 18 76-90	Washer, Spacer	188	532 19 51-61	Stud Fastener
32	532 19 74-73	Pulley, Mandrel	189	873 90 05-00	Nut Lock Hex Flange
33	532 40 02-34	Nut, Toplock, Flanged	192	532 19 72-60	Bracket Brake Stand LH
34	872 11 06-12	Bolt Carr Sh. 3/8-16 x 1-1/2 Gr. 5	195	817 00 06-12	Screw 3/8-16 x 3/4
36	532 19 73-79	Pulley Idler	241	532 15 29-27	Screw
37	819 13 13-16	Washer	242	532 41 55-98	Port Washout
38	532 43 25-20	Keeper Belt LH Mandrel	- -	532 19 28-70	Mandrel Assembly (Includes housing, shaft assembly, and bearing only - pulley/nut/washer and blade bolt/washers not included)
40	873 90 06-00	Nut, Lock Flg. 3/8-16 unc	- -	532 43 29-37	Replacement Mower, Complete
42	532 19 84-10	Spring Torsion Brake			
43	532 19 72-56	Spring Torsion Retainer			
46	532 13 77-29	Screw Thd Roll 1/4-20 x 5/8			
47	532 19 72-50	Bracket Clutch Cable			
55	532 43 71-10	Arm, Idler			
56	532 19 90-92	Spacer, Retainer			
57	817 00 06-16	Screw 3/8-16 x 1			
59	532 14 10-43	Guard, Tuv Idler			

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29
SEAT ASSEMBLY 42




seat-tex_6.5SL_1_r1

KEY NO.	PART NO.	DESCRIPTION
1	532 43 98-19	Seat
2	532 18 01-66	Bracket Pivot Fender
3	532 14 06-75	Strap, Asm Fender
6	873 80 06-00	Nut, Lock w/Ins. 3/8-16 unc
7	532 12 41-81	Spring, Seat Cprsn
8	532 17 18-77	Bolt 5/16-18 unc x 3/4 w/Sems
10	532 19 69-77	Pan, Seat
21	532 17 18-52	Bolt, Shoulder 5/16-18
37	873 80 05-00	Nut, Lock 5/16-18 unc

KEY NO.	PART NO.	DESCRIPTION
40	532 19 76-61	Handle Slide Seat
41	532 19 82-00	Spring Latch
43	874 76 06-12	Bolt Fin Hex 3/8-16 unc x 3/4
44	819 13 38-12	Washer 13/32 x 2-3/8 x 12

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. LT152 (96041002907), PRODUCT NO. 960 41 00-29
MOWER LIFT 45



lift-tex_29

*Key 91 may be substituted for Key 101

KEY NO.	PART NO.	DESCRIPTION
2	532 42 20-27	Shaft Asm., Cross Lift
3	532 19 52-31	Lever Asm., Lift Rh
7	580 96 23-01	Grip, Lever
10	532 19 63-14	Spring Torsion
87	532 19 42-09	Pin Cotter 7/16 Bow Tie Lock
88	532 41 07-10	Spring Lift Assist
89	819 19 19-12	Washer Clear Zinc
90	532 19 42-08	Pin Cotter 5/16 Bow Tie Lock

KEY NO.	PART NO.	DESCRIPTION
91	532 19 51-81	Link Lift Susp Mower Rear
97	817 00 06-12	Screw Hexwsh Thdr. 3/8-16 x 3/4
98	532 19 52-70	Link Lift Susp. Front Mower
100	873 93 06-00	Nut Hex Jam ASF 7/16-20 unf
101	532 40 70-03	Link Asm. Lift FXD

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

