



# Parts Manual

## P-ZT54

**966 613402-02**

Please read the operator manual carefully  
and make sure you understand  
the instructions before using the machine.



When you need spare parts or support in service questions, warranty issues, etc., please consult the following professional:

|                                                                   |        |              |
|-------------------------------------------------------------------|--------|--------------|
|                                                                   |        |              |
| This manual belongs to the machine with the manufacturing number: | Engine | Transmission |

Manufacturing Number

The machine's manufacturing number can be found on the printed plate affixed to the engine compartment.

Stated on the plate, from the top are:

- The machine's type designation (I.D.).
- The manufacturer's type number (Model).
- The machine's serial number (Serial no.)

*Please have the type designation and serial number available when ordering spare parts.*


# CONTENTS

|                                         |    |
|-----------------------------------------|----|
| FRAME .....                             | 4  |
| ENGINE MOUNTING, GUARDS & MUFFLER ..... | 6  |
| STEERING .....                          | 8  |
| IGNITION SYSTEM.....                    | 10 |
| PARKING BRAKE .....                     | 12 |
| HYDRAULIC PUMP-MOTOR.....               | 14 |
| HYDRAULIC FRAME .....                   | 16 |
| WHEELS & TIRES .....                    | 18 |
| MOWER LIFT / DECK LIFT.....             | 20 |
| MOWER DECK / CUTTING DECK .....         | 22 |
| BLADESHAFT .....                        | 24 |
| SEAT .....                              | 26 |
| DECALS .....                            | 28 |

Illustrations may or may not represent the actual assemblies  
and it is not recommended to use this manual as a guide to  
assemble or disassemble the mower.


NOTE: All fasteners are Grade 5 unless otherwise specified.

FRAME




| Ref. | Part No.     | Qty | Description                            |
|------|--------------|-----|----------------------------------------|
| 1    | 574 48 28-01 | 1   | Frame w/ Safety Decal Orange           |
| 2    | 576 70 13-02 | 1   | Floor Pan Orange                       |
| 3    | 522 73 89-02 | 1   | Bumper, Rear Orange                    |
| 4    | 576 70 14-02 | 1   | Plate, Skid Grey                       |
| 5    | 584 85 93-02 | 1   | Guard, Rear Grey                       |
| 6    | 574 21 57-02 | 1   | Footrest Orange                        |
| 7    | 576 70 15-02 | 1   | Cover, Fan Right Black                 |
| 8    | 576 70 16-02 | 1   | Cover, Fan Left Black                  |
| 9    | 576 70 17-02 | 1   | Cover, Center Black                    |
| 10   | 510 08 32-01 | 4   | Mount, F/F Insert                      |
| 11   | 529 27 96-03 | 1   | Mount, Tank Right Rear                 |
| 12   | 529 27 97-03 | 1   | Mount, Tank Left Rear                  |
| 13   | 529 27 99-03 | 1   | Mount, Tank Right Front                |
| 14   | 529 28 00-03 | 1   | Mount, Tank Left Front                 |
| 15   | 539 20 07-15 | 2   | Pin, Hair                              |
| 16   | 510 04 03-01 | 2   | Bracket, Rest Mount                    |
| 17   | 539 10 28-45 | 4   | Spring, Tank Mount                     |
| 18   | 575 81 15-01 | 2   | Bumper, 1/4-20 Stud 3/8"               |
| 19   | 522 80 14-01 | 4   | Bumper, Male Stud 1/4-20               |
| 20   | 539 10 98-67 | 1   | Clamp, Double Tube                     |
| 21   | 574 38 80-01 | 2   | Latch Pin w/ Lanyard                   |
| 22   | 539 10 25-02 | 4   | Stud, Fuel Tank                        |
| 23   | 539 10 47-63 | 1   | Retainer, U Type                       |
| 24   | 539 99 08-58 | 6   | Screw 5/16-18 x 1/2 Self Tap           |
| 25   | 539 11 32-26 | 11  | Bolt 5/16-18 x 1 Thread Form           |
| 26   | 580 75 46-01 | 6   | Bolt 5/8-11 x 3-1/2 Hex Head           |
| 27   | 525 61 28-01 | 4   | Bolt 3/8-16 x 1 Hex Flange Head        |
| 28   | 574 23 38-01 | 2   | Bolt 5/16-18 x 2-1/4 Hex Flange Head   |
| 29   | 539 13 17-80 | 2   | Bolt 5/16-18 x 3-3/4 Hex Flange Head   |
| 30   | 525 54 40-01 | 2   | Bolt 5/16-18 x 1-1/4 Tap               |
| 31   | 874 49 05-12 | 7   | Bolt 5/16-18 x 3/4 Hex Flange Head     |
| 32   | 539 10 01-45 | 2   | Bolt 3/8-16 x 2 Round Head Square Neck |
| 33   | 873 80 04-00 | 4   | Nut 1/4-20 Hex Nyloc                   |
| 34   | 525 82 91-01 | 6   | Nut 5/8-11 Flange Nyloc                |
| 35   | 539 11 10-28 | 2   | Nutsert 5/16-18                        |
| 36   | 521 99 65-01 | 2   | Nut 3/8-16 Hex Flange Nyloc            |
| 37   | 539 10 81-20 | 2   | Nut 1/4-20 Hex Thin Nyloc              |
| 38   | 539 11 28-99 | 14  | Nut 5/16-18 Hex Flange Nyloc           |
| 39   | 539 10 26-53 | 4   | Washer 5/8 Std Flat                    |
| 40   | 539 10 96-00 | 12  | Washer 5/16 Disc Spring                |
| 41   | 819 11 11-16 | 4   | Washer 5/16 SAE Flat                   |
|      | NOT SHOWN    |     |                                        |
|      | 576 73 88-01 | 1   | Assembly, ROPS                         |

ENGINE MOUNTING, GUARDS & MUFFLER



| Ref.      | Part No.     | Qty | Description                                                                           |
|-----------|--------------|-----|---------------------------------------------------------------------------------------|
| 1         | 510 00 46-02 | 1   | Plate, Engine Blk                                                                     |
| 2         | 510 01 98-01 | 1   | Pulley, Engine                                                                        |
| 3         | 525 75 02-01 | 1   | Muffler                                                                               |
| 4         | 539 11 34-37 | 1   | Clutch, Gt 3.5                                                                        |
| 5         | 522 67 67-02 | 1   | Stop, Clutch                                                                          |
| 6         | 539 10 55-26 | 1   | Fuel Line 18"                                                                         |
| 7         | 539 91 22-22 | 2   | Clamp                                                                                 |
| 8         | 539 11 96-80 | 1   | Adaptor, Oil Drain                                                                    |
| 9         | 505 28 00-01 | 1   | Tie Wrap w/ Clip                                                                      |
| 10        | 539 11 89-11 | 1   | Pipe 3/8 NPT x 3"                                                                     |
| 11        | 539 10 50-72 | 1   | Elbow 90°                                                                             |
| 12        | 522 83 70-01 | 1   | Plug 3/8 NPTF Drain                                                                   |
| 13        | 539 91 02-10 | 1   | Key 1/4 Sq x 2                                                                        |
| 14        | 539 10 53-08 | 1   | Key 1/4 Sq x 1                                                                        |
| 15        | 539 10 96-18 | 1   | O-Ring                                                                                |
| 16        | 539 10 17-14 | 1   | Solenoid                                                                              |
| 17        | 539 10 54-09 | 1   | Ground Wire                                                                           |
| 18        | 539 10 27-57 | 1   | Cable, Positive                                                                       |
| 19        | 539 10 27-59 | 2   | Insulator                                                                             |
| 20        | 525 31 39-01 | 1   | Spacer                                                                                |
| 21        | 539 10 48-67 | 1   | Bolt 7/16-14 x 1-1/4 Hex Head                                                         |
| 22        | 539 99 00-72 | 2   | Bolt 1/4-20 x 5/8 Hex Head                                                            |
| 23        | 539 99 05-63 | 4   | Bolt 3/8-16 x 1 Hex Head                                                              |
| 24        | 539 10 01-41 | 1   | Bolt 7/16-20 x 1-1/2 Hex Head                                                         |
| 25        | 539 99 02-08 | 4   | Bolt 5/16-18 x 1 Round Head Square Neck                                               |
| 26        | 574 23 38-01 | 3   | Bolt 5/16-18 x 2-1/4 Hex Flange                                                       |
| 27        | 539 10 81-20 | 5   | Nut 1/4-20 Hex Thin Nyloc                                                             |
| 28        | 539 11 28-99 | 8   | Nut 5/16-18 Hex Flange Nyloc                                                          |
| 29        | 539 10 25-82 | 1   | Nut 7/16-14 Hex Whiz Lock                                                             |
| 30        | 539 12 56-26 | 1   | Washer, Blade                                                                         |
| 31        | 539 10 25-93 | 4   | Washer 3/8 Spring                                                                     |
| 32        | 539 99 00-53 | 1   | Washer 1/4 Internal Tooth Lock                                                        |
| 33        | 539 99 02-47 | 1   | Washer 7/16 Slotted Lock                                                              |
| NOT SHOWN |              |     |                                                                                       |
|           | 25 55 42-01  | 1   | Engine Harness, Kaw                                                                   |
|           | 574 82 58-01 | 1   | Kit, Spark Arrestor                                                                   |
|           | 586 83 97-01 | 2   | Gasket, Exhaust                                                                       |
|           | -----        | 1   | Engine, Kawasaki KX730 23.5 Hp<br>For Engine Replacement Parts, See a Kawasaki Dealer |


STEERING






| Ref. | Part No.     | Qty | Description                                   |
|------|--------------|-----|-----------------------------------------------|
| 1    | 577 32 77-02 | 1   | Frame, Seat Mount Orange                      |
| 2    | 586 73 72-02 | 2   | Bracket, Control                              |
| 3    | 501 74 11-01 | 2   | Bracket, Dampener                             |
| 4    | 574 26 94-01 | 2   | Lever, Motion                                 |
| 5    | 577 04 24-03 | 1   | Lever, w/ Grip, Right                         |
|      | 577 04 23-03 | 1   | Lever, w/ Grip, Left                          |
| 6    | 576 14 03-02 | 2   | Lever, Control                                |
| 7    | 539 13 08-94 | 2   | Grip, Lever                                   |
| 8    | 539 02 00-35 | 1   | Spring                                        |
| 9    | 576 85 03-01 | 1   | Spring                                        |
| 10   | 539 10 28-45 | 1   | Spring                                        |
| 11   | 532 10 95 53 | 2   | Switch N.C.                                   |
| 12   | 539 11 37-92 | 1   | Switch, Brake (3-Pole)                        |
| 13   | 516 02 03-01 | 2   | Assembly, Dampener                            |
| 14   | 581 43 75-01 | 2   | Block, Tracking                               |
| 15   | 581 22 30-01 | 2   | Plate, Tapped                                 |
| 16   | 575 81 15-01 | 2   | Bumper, 1/4-20 Stud 3/8                       |
| 17   | 539 13 15-18 | 4   | Bearing, Flange                               |
| 18   | 511 59 49-01 | 1   | Bushing 1/4 Flange                            |
| 19   | 511 59 50-01 | 1   | Link, Switch                                  |
| 20   | 539 11 06-07 | 2   | Ball Stud 10Mm                                |
| 21   | 577 25 24-01 | 2   | Spacer, Pivot                                 |
| 22   | 539 13 17-99 | 1   | Knob                                          |
| 23   | 522 84 97-02 | 4   | Mount, Black                                  |
| 24   | 539 10 47-63 | 4   | Retainer, U Type                              |
| 25   | 874 78 05-20 | 1   | Bolt 5/16-18 x 1-1/4 Hex Head Tap             |
| 26   | 874 78-08 44 | 2   | Bolt 1/2-13 x 2-3/4 Hex Head                  |
| 27   | 872 11 04-06 | 1   | Bolt 1/4-20 x 3/4 Round Head Square Neck Gr 2 |
| 28   | 574 82 27-01 | 4   | Screw 10-24 x 3/4 Socket Head                 |
| 29   | 576 85 04-02 | 2   | Screw 5/16-18 x 1-3/4 Button Head             |
| 30   | 874 49 05-12 | 20  | Bolt 5/16-18 x 3/4 Hex Flange Head            |
| 31   | 525 61 28-01 | 4   | Bolt 3/8-16 x 1 Hex Flange Head               |
| 32   | 539 10 80-10 | 2   | Nut 1/2-13 Hex Jam Nyloc Gr 2                 |
| 33   | 539 11 28-99 | 20  | Nut 5/16-18 Hex Flange Nyloc                  |
| 34   | 539 10 81-20 | 4   | Nut 1/4-20 Hex Thin Nyloc                     |
| 35   | 539 10 22-34 | 1   | Nut 1/4 Push                                  |
| 36   | 873 80 05-00 | 2   | Nut 5/16-18 Hex Nyloc                         |
| 37   | 539 91 38-47 | 1   | Nut 3/8 Retainer                              |
| 38   | 819 11 11-16 | 3   | Washer 5/16 SAE Flat                          |
| 39   | 810 03 05-00 | 2   | Washer 5/16 Slotted Lock                      |

IGNITION SYSTEM




| Ref. | Part No.     | Qty | Description                               |
|------|--------------|-----|-------------------------------------------|
| 1    | 589 99 71-01 | 1   | Assembly, Tank Left Gry                   |
| 2    | 590 02 59-01 | 1   | Assembly, Tank Right Gry                  |
| 3    | 529 28 02-02 | 1   | Panel, Control Gry                        |
| 4    | 574 51 40-01 | 1   | Timer, Seat                               |
| 5    | 586 16 18-01 | 1   | Meter, Service                            |
| 6    | 574 45 54-01 | 1   | Switch, Ignition                          |
| 7    | 582 10 76-02 | 1   | Switch, PTO 10 Amp                        |
| 8    | 574 45 55-01 | 1   | Key, Ignition                             |
| 9    | 574 20 70-01 | 1   | Control, Throttle                         |
| 10   | 574 20 69-01 | 1   | Cable, Choke                              |
| 11   | 539 13 26-24 | 1   | Knob                                      |
| 12   | 539 10 24-36 | 1   | Battery                                   |
| 13   | 575 01 81-01 | 2   | Cap w/ Tether, Fuel                       |
| 14   | 576 61 81-01 | 2   | Valve, Fuel Check                         |
| 15   | 525 86 54-01 | 2   | Fitting, Fuel                             |
| 16   | 522 71 87-01 | 1   | Cable, Positive                           |
| 17   | 522 71 07-01 | 1   | Cable, Negative                           |
| 18   | 539 10 31-78 | 1   | Cap, Ignition Switch                      |
| 19   | 587 59 34-01 | 1   | Assembly, Vapor Line                      |
| 20   | 577 15 05-01 | 1   | Assembly, Fuel Line                       |
| 21   | 539 10 27-59 | 2   | Insulator                                 |
| 22   | 579 57 97 01 | 1   | Loom 5/8 Split                            |
| 23   | 587 18 14-04 | 1   | Bracket, Valve                            |
| 24   | 510 02 99-02 | 1   | Bracket, Battery Black                    |
| 25   | 588 10 72-01 | 1   | Bracket, Battery Mount                    |
| 26   | 510 06 40-01 | 2   | J Hook                                    |
| 27   | 539 10 52-45 | 2   | Grommet, Rubber                           |
| 28   | 576 61 82-01 | 2   | Grommet, Check Valve                      |
| 29   | 539 10 59-74 | 1   | Grommet                                   |
| 30   | 539 99 09-97 | 2   | Wingnut 1/4-20 Nyloc                      |
| 31   | 539 99 05-80 | 1   | Bolt 1/4-20 x 3/4 Hex Head                |
| 32   | 872 14 05-06 | 2   | Bolt 5/16-18 x 3/4 Round Head Square Neck |
| 33   | 574 82 27-01 | 4   | Screw 10-24 x 3/4 Socket Head             |
| 34   | 539 11 43-41 | 3   | Screw 10-24 x 3/8 Socket Head             |
| 35   | 539 97 69-77 | 4   | Nut 10-24 Hex Nyloc                       |
| 36   | 539 11 28-99 | 2   | Nut 5/16-18 Hex Flange Nyloc              |
| 37   | 539 10 81-20 | 1   | Nut 1/4-20 Hex Thin Nyloc                 |
| 38   | 539 99 05-98 | 1   | Washer 1/4 Flat                           |
|      | NOT SHOWN    |     |                                           |
|      | 510 09 36-01 | 1   | Harness, Wiring                           |

PARKING BRAKE




| Ref. | Part No.     | Qty | Description                                |
|------|--------------|-----|--------------------------------------------|
| 1    | 576 41 63-01 | 1   | Shaft, Brake                               |
| 2    | 576 41 64-01 | 1   | Arm, Right Brake                           |
| 3    | 515 98 00-02 | 1   | Lever, Brake                               |
| 4    | 539 97 65-26 | 1   | Grip, Lever                                |
| 5    | 515 98 03-01 | 1   | Link, Follower                             |
| 6    | 576 76 40-01 | 2   | Spacer, Shaft                              |
| 7    | 539 13 15-18 | 2   | Bearing, Flange                            |
| 8    | 539 97 64-81 | 2   | Yoke                                       |
| 9    | 522 70 59-02 | 2   | Pin 5/16 Clevis Spring                     |
| 10   | 576 45 95-01 | 2   | Linkage, Brake                             |
| 11   | 575 22 98-02 | 2   | Bracket, Brake                             |
| 12   | 575 23 03-01 | 1   | Spring                                     |
| 13   | 539 13 21-61 | 6   | Bushing, Brake                             |
| 14   | 539 11 06-31 | 1   | Roll Pin 5/16" Dia.                        |
| 15   | 539 11 03-03 | 2   | Bolt 5/16 Shoulder                         |
| 16   | 539 10 04-13 | 3   | Bolt 3/8-16 x 1-1/4 Round Head Square Neck |
| 17   | 874 78 06-52 | 1   | Bolt 3/8-16 x 3-1/4 Hex Head               |
| 18   | 539 20 02-82 | 3   | Nut 3/8-16 Hex Jam Nyloc                   |
| 19   | 539 11 09-43 | 2   | Nut 5/16-24 Hex Nyloc                      |
| 20   | 539 99 02-23 | 2   | Nut 5/16-24 Hex                            |
| 21   | 539 11 56-17 | 2   | Nut 5/16-18 Hex Nyloc                      |
| 22   | 539 13 30-07 | 2   | Washer, Wave                               |
| 23   | 525 49 09-01 | 2   | Washer, Friction                           |
| 24   | 539 91 20-63 | 1   | Washer, Cone                               |

HYDRAULIC PUMP-MOTOR



| Ref. | Part No.     | Qty | Description                          |
|------|--------------|-----|--------------------------------------|
| 1    | 574 56 91-02 | 1   | Trans, ZT-3400, Right                |
| 2    | 574 56 91-01 | 1   | Trans, ZT-3400, Left                 |
| 3    | 539 13 16-18 | 1   | Linkage, Right Bypass                |
| 4    | 539 13 16-16 | 1   | Linkage, Left Bypass                 |
| 5    | 576 41 57-01 | 2   | Assembly, Linkage, Control           |
| 6    | 522 55 92-01 | 2   | Linkage, Control                     |
| 7    | 585 31 82-01 | 1   | Assy, Expansion Tank                 |
| 8    | 581 82 08-02 | 1   | Bracket                              |
| 9    | 539 97 69-88 | 2   | Hairpin Cotter                       |
| 10   | 539 11 34-66 | 2   | Filter, Hydro                        |
| 11   | 530 09 56-46 | 1   | Filter                               |
| 12   | 574 89 21-01 | 2   | Hose, Expansion                      |
| 13   | 586 06 75-01 | 1   | Hose, Fuel Line                      |
| 14   | 586 07 27-01 | 1   | Cap, Tank                            |
| 15   | 539 10 25-90 | 4   | Ball End, Right                      |
| 16   | 539 10 91-49 | 2   | Turnbuckle 3/8                       |
| 17   | 576 66 72-01 | 1   | Belt                                 |
| 18   | 580 90-62-02 | 2   | Spacer, Wheel                        |
| 19   | 539 10 85-51 | 2   | Bolt 3/8-16 x 2-1/4 Hex Head Grade 8 |
| 20   | 539 99 06-42 | 1   | Bolt 1/4-20 x 7/8 Hex Head           |
| 21   | 525 54 40-01 | 4   | Bolt 5/16-18 x 1-1/4 Self Tap        |
| 22   | 539 99 02-23 | 4   | Nut 5/16-24 Hex                      |
| 23   | 539 10 87-32 | 2   | Nut 3/8-24 Hex Jam                   |
| 24   | 581 84 81-01 | 2   | Nut 3/8-16 Lock Grade C              |
| 25   | 539 97 69-78 | 1   | Nut 1/4-20 Hex Nyloc                 |
| 26   | 585 47 68-01 | 4   | Nut 5/16-18 Hex Lock                 |
| 27   | 539 99 06-92 | 4   | Washer 5/16 Std Flat                 |
| 28   | 539 99 00-55 | 1   | Washer 1/4 SAE Flat                  |
| 29   | 585 47 70-01 | 2   | Washer 5/16 SAE Flat                 |
| 30   | 539 99 01-22 | 4   | Washer 3/8 SAE Flat                  |


HYDRAULIC FRAME






| Ref. | Part No.     | Qty | Description                                |
|------|--------------|-----|--------------------------------------------|
| 1    | 581 82 13-02 | 1   | Mount, Trans Right Black                   |
| 2    | 581 82 12-02 | 1   | Mount, Trans Left Black                    |
| 3    | 576 45 99-02 | 1   | Mount, Idler Black                         |
| 4    | 581 81 30-02 | 1   | Mount, Ft Black                            |
| 5    | 539 10 47-63 | 4   | Retainer, U Type                           |
| 6    | 539 10 25-87 | 2   | Grommet, Bumper                            |
| 7    | 510 04 16-03 | 1   | Arm, Idler w/ Bearings                     |
| 8    | 525 43 56-01 | 2   | Pivot, Idler                               |
| 9    | 510 20 63-01 | 1   | Pivot, Bearing                             |
| 10   | 539 11 46-62 | 1   | Shield, Dust                               |
| 11   | 510 25 45-01 | 2   | Shield, Dust                               |
| 12   | 539 97 66-88 | 2   | Pulley, Idler                              |
| 13   | 575 47 09-01 | 1   | Spring, Extension                          |
| 14   | 576 45 98-01 | 1   | Bracket, Spring                            |
| 15   | 874 49 06-32 | 1   | Bolt 3/8-16 x 2 Hex Flange Head            |
| 16   | 585 47 66-01 | 4   | Bolt 5/16-18 x 2-1/2 Hex Head              |
| 17   | 521 99 66-01 | 2   | Bolt 3/8-16 x 4 Hex Flange Head            |
| 18   | 525 61 28-01 | 4   | Bolt 3/8-16 x 1 Hex Flange Head            |
| 19   | 525 54 48-01 | 4   | Bolt 1/2-13 x 4 Hex Flange Head Gr 8       |
| 20   | 525 46 54-01 | 4   | Bolt 5/16-18 x 1-1/2 Hex Flange Head       |
| 21   | 585 47 67-01 | 4   | Bolt 5/16-18 x 3 Hex Head                  |
| 22   | 539 10 34-33 | 1   | Bolt 1/2-13 x 3-1/4 Hex Head               |
| 23   | 539 10 93-45 | 1   | Bolt 3/8-16 x 1-1/2 Round Head Square Neck |
| 24   | 539 12 81-01 | 1   | Bolt 3/8-16 x 2-1/2 Round Head Square Neck |
| 25   | 539 20 02-82 | 2   | Nut 3/8-16 Hex Jam Nyloc                   |
| 26   | 539 99 06-13 | 1   | Nut 3/8-16 Hex Whiz Lock                   |
| 27   | 521 99 65-01 | 8   | Nut 3/8-16 Hex Flange Nyloc                |
| 28   | 521 99 11-01 | 5   | Nut 1/2-13 Hex Flange Nyloc                |
| 29   | 585 47 68-01 | 5   | Nut 5/16-18 Hex Lock                       |
| 30   | 539 99 05-85 | 1   | Nut 5/16-18 Hex Whiz Lock                  |
| 31   | 585 47 70-01 | 3   | Washer 5/16 SAE Flat                       |
| 32   | 522 02 34-01 | 1   | Washer 3/8 Thick                           |
| 33   | 539 11 55-28 | 1   | Washer 1/2 Belleville                      |
| 34   | 539 10 95-54 | 1   | Washer 1/2 Flat                            |
| 35   | 539 10 65-04 | 1   | Washer, Heavy                              |

WHEELS & TIRES




| Ref. | Part No.     | Qty | Description                  |
|------|--------------|-----|------------------------------|
| 1    | 539 10 55-21 | 2   | Assembly, Tire 13 x 6.5      |
| 2    | 522 90 51-01 | 2   | Assembly, Tire 23 x 10.5     |
| 3    | 539 10 74-31 | 2   | Tire 23 x 10.5 Turf Master   |
| 4    | 539 10 55-22 | 2   | Tire 13 x 6.50 4 Ply         |
| 5    | 539 10 55-23 | 2   | Rim                          |
| 6    | 522 90 51-02 | 2   | Rim                          |
| 7    | 525 61 19-02 | 2   | Yoke, Caster, Orange         |
| 8    | 539 10 55-18 | 4   | Spacer, Axle                 |
| 9    | 510 03 43-01 | 2   | Seal, Bearing                |
| 10   | 510 03 44-03 | 4   | Cone                         |
| 11   | 539 10 14-74 | 2   | Zerk                         |
| 12   | 539 10 33-00 | 2   | Zerk 1/4 -28 Angled          |
| 13   | 510 03 40-01 | 2   | Cap, Dust                    |
| 14   | 539 10 55-17 | 2   | Bolt 1/2-13 x 9-1/2 Hex Head |
| 15   | 873 93 08-00 | 2   | Nut 1/2-13 Hex Center Lock   |
| 16   | 522 84 26-01 | 2   | Nut 3/4-16 Hex Thin Nyloc    |
| 17   | 539 10 11-73 | 8   | Nut, Lug                     |
| 18   | 539 99 02-50 | 4   | Washer 1/2 SAE               |
| 19   | 574 82 47-01 | 2   | Washer 3/4 Hardened          |

# MOWER LIFT / DECK LIFT





| Ref. | Part No.     | Qty | Description                             |
|------|--------------|-----|-----------------------------------------|
| 1    | 576 48 00-02 | 1   | Plate, Height, Inner Orange             |
| 2    | 576 48 01-02 | 1   | Plate, Height, Outer Orange             |
| 3    | 525 82 22-01 | 1   | Plate, Pillow Block                     |
| 4    | 576 64 67-01 | 1   | Plate, Spring Anchor                    |
| 5    | 576 48 58-01 | 4   | Spacer, Eyebolt                         |
| 6    | 576 62 31-01 | 1   | Spacer, Front Lift Strap                |
| 7    | 576 62 30-01 | 1   | Spacer, Rear Lift Strap                 |
| 8    | 510 36 25-01 | 4   | Spacer, Strut                           |
| 9    | 510 40 83-01 | 1   | Pedal, Deck Height                      |
| 10   | 539 13 26-24 | 1   | Knob                                    |
| 11   | 510 40 68-01 | 1   | Latch, Transport                        |
| 12   | 576 63 89-01 | 1   | Lever, Release                          |
| 13   | 576 47 92-01 | 1   | Shaft, Deck Lift Front                  |
| 14   | 576 47 99-01 | 1   | Shaft, Lift Left Rear                   |
| 15   | 576 47 94-01 | 1   | Shaft, Lift Right Rear                  |
| 16   | 510 08 94-01 | 4   | Bushing, Flanged                        |
| 17   | 510 02 39-02 | 4   | Block, Pillow                           |
| 18   | 576 67 66-01 | 1   | Spring, Extension                       |
| 19   | 510 37 66-01 | 1   | Spring, Torsion                         |
| 20   | 510 08 98-01 | 1   | Rod, Lift                               |
| 21   | 576 62 26-01 | 1   | Strap, Deck                             |
| 22   | 510 10 65-01 | 2   | Assembly, Strut                         |
| 23   | 510 09 01-01 | 4   | Pin 7/16 Clevis                         |
| 24   | 510 01 65-01 | 1   | Pin, Height                             |
| 25   | 515 98 82-01 | 2   | Pin, Strut                              |
| 26   | 576 48 56-01 | 4   | Pin, Trunion                            |
| 27   | 539 10 28-89 | 2   | Pin 1/8 x 2 Cotter                      |
| 28   | 539 99 07-30 | 1   | Bolt 3/8-16 x 1-3/4 Hex Head            |
| 29   | 874 49 08-48 | 2   | Bolt 1/2-13 x 3 Hex Flange Head         |
| 30   | 574 21 06-01 | 1   | Bolt 1/2-13 x 1 Hex Flange Head         |
| 31   | 525 61 28-01 | 1   | Bolt 3/8-16 x 1 Hex Flange Head         |
| 32   | 576 62 16-01 | 1   | Bolt 3/8-16 x 1-1/2 Hex Flange Head     |
| 33   | 874 49 06-36 | 1   | Bolt 3/8-16 x 2-1/4 Hex Flange Head     |
| 34   | 874 49 06-52 | 4   | Bolt 3/8-16 x 3-1/2 Hex Flange Head     |
| 35   | 874 49 05-12 | 4   | Bolt 5/16-18 x 3/4 Hex Flange Head      |
| 36   | 874 45 10-48 | 2   | Bolt 5/8-11 x 3 Hex Flange Head Gr 8    |
| 37   | 539 99 02-08 | 2   | Bolt 5/16-18 x 1 Round Head Square Neck |
| 38   | 576 47 90-01 | 4   | Eyebolt, Deck Lift                      |
| 39   | 516 03 55-01 | 1   | Bolt 3/8-16 x 2-1/4 Shoulder            |
| 40   | 521 99 11-01 | 6   | Nut 1/2-13 Hex Flange Nyloc             |
| 41   | 521 99 65-01 | 8   | Nut 3/8-16 Hex Flange Nyloc             |
| 42   | 539 10 93-32 | 1   | Nut 3/8-16 Hex Jam                      |
| 43   | 539 11 28-99 | 6   | Nut 5/16-18 Hex Flange Nyloc            |
| 44   | 539 10 93-04 | 2   | Nut 5/8 Push                            |
| 45   | 525 82 91-01 | 2   | Nut 5/8-11 Flange Nyloc                 |
| 46   | 522 70 52-01 | 4   | E Ring 7/16                             |

# MOWER DECK / CUTTING DECK




| Ref. | Part No.     | Qty | Description                                 |
|------|--------------|-----|---------------------------------------------|
| 1    | 588 12 76-05 | 1   | Deck w/ Safety Decals                       |
| 2    | 588 26 48-02 | 1   | Belt                                        |
| 3    | 581 05 55-02 | 3   | Blade                                       |
| 4    | 510 13 12-02 | 2   | Belt Shield                                 |
| 5    | 510 43 75-02 | 1   | Baffle Diverter Left                        |
| 6    | 525 48 58-01 | 1   | Chute, Discharge                            |
| 7    | 521 97 97-01 | 3   | Pulley                                      |
| 8    | 525 59 82-01 | 1   | Pulley, Idler 7" Narrow                     |
| 9    | 510 01 96-01 | 1   | Puller, Idler 6" Narrow                     |
| 10   | 510 01 51-01 | 1   | Pulley, Idler 7"                            |
| 11   | 574 16 96-01 | 2   | Roller, Gauge                               |
| 12   | 574 19 64-01 | 2   | Tube Roller Axle                            |
| 13   | 510 25 45-01 | 3   | Shield Dust                                 |
| 14   | 510 26 22-01 | 1   | Shield, Dust                                |
| 15   | 574 72 22-01 | 1   | Arm, Idler w/ Spacer, Bearings              |
| 16   | 525 48 60-02 | 1   | Support, Bracket Black                      |
| 17   | 525 46 56-01 | 1   | Spacer, Idler Pivot                         |
| 18   | 522 72 97-01 | 1   | Bearing, Idler Pivot                        |
| 19   | 510 26 37-01 | 3   | Bearing, Idler Arm                          |
| 20   | 574 26 22-01 | 1   | Belt Keeper                                 |
| 21   | 574 19 70-02 | 1   | Bracket, Chute Pivot Black                  |
| 22   | 525 31 09-01 | 1   | Spring, Torsion, Idler                      |
| 23   | 574 26 21-02 | 1   | Belt Guide, Black                           |
| 24   | 874 78 05-16 | 8   | Screw 5/16-18 x 1 Hex                       |
| 25   | 510 02 23-01 | 2   | Bolt 1/2-13 x 4-3/4 Round Head Square Neck  |
| 26   | 539 10 29-33 | 3   | Bolt 5/16-18 x 1-1/2 Round Head Square Neck |
| 27   | 539 10 04-72 | 2   | Bolt 5/16-18 x 1-1/4 Round Head Square Neck |
| 28   | 872 11 05-08 | 1   | Bolt 5/16-18 x 1 Round Head Square Neck     |
| 29   | 574 20 20-01 | 1   | Eye Bolt                                    |
| 30   | 539 11 90-07 | 3   | Blade Bolt                                  |
| 31   | 539 12 81-01 | 1   | Bolt 3/8-16 x 2-1/2 Carriage                |
| 32   | 874 88 06-72 | 1   | Bolt 3/8-16 x 4-1/2 Hex Head                |
| 33   | 874 49 05-12 | 4   | Bolt 5/16-18 x 3/4 Hex Flange Head          |
| 34   | 574 21 06-01 | 18  | Bolt 1/2-13 x 1 Hex Flange Head             |
| 35   | 539 13 03-15 | 9   | Bolt 5/16-18 x 1/2 Hex Head                 |
| 36   | 874 49 06-44 | 2   | Bolt 3/8-16 x 2-3/4 Hex Flange Head         |
| 37   | 525 61 28-01 | 2   | Bolt Washer Head 3/8-16 x 1                 |
| 38   | 539 11 56-20 | 4   | Bolt 1/4-20 x 3/4 Carriage                  |
| 39   | 521 99 65-01 | 5   | Nut 3/8-16 Hex Flange Nyloc                 |
| 40   | 539 97 69-78 | 4   | Nut 1/4-20 Hex Nyloc                        |
| 41   | 521 99 11-01 | 2   | Nut 1/2-13 Hex Flange Nyloc                 |
| 42   | 539 11 28-99 | 9   | Nut 5/16-18 Hex Flange Nyloc                |
| 43   | 539 10 47-63 | 8   | Retainer, U Type                            |
| 44   | 819 12 14-14 | 10  | Washer 5/16 Std Flat                        |
| 45   | 810 03 05-00 | 8   | Washer 5/16 Slotted Lock                    |
| 46   | 539 10 96-00 | 9   | Washer 5/16 Disc Spring                     |
| 47   | 539 10 65-04 | 3   | Washer, Heavy                               |
| 48   | 522 02 34-01 | 1   | Washer 3/8 Thick                            |

BLADESHAFT






| Ref. | Part No.     | Qty | Description                                                                                                                |
|------|--------------|-----|----------------------------------------------------------------------------------------------------------------------------|
| 1    | 580 94 22-01 | 3   | Hub                                                                                                                        |
| 2    | 580 94 21-01 | 3   | Shaft, Spindle                                                                                                             |
| 3    | 580 94 27-01 | 3   | Seal, V Ring                                                                                                               |
| 4    | 580 94 26-01 | 6   | Seal, Shaft                                                                                                                |
| 5    | 580 94 18-01 | 6   | Bearing, Tapered                                                                                                           |
| 6    | 580 94 23-01 | 3   | Spacer                                                                                                                     |
| 7    | 580 94 25-01 | 3   | Carrier, Seal                                                                                                              |
| 8    | 539 97 69-98 | 3   | Zerk                                                                                                                       |
| 9    | 539 97 73-26 | 3   | Valve, Grease Poppet                                                                                                       |
| 10   | 539 13 06-53 | 3   | Nut 3/4-16 Hex Flange                                                                                                      |
| 11   | 580 94 33-03 | 3   | Assembly, Spindle                                                                                                          |
|      | NOT SHOWN    |     |                                                                                                                            |
|      | 574 75 42-01 | 1   | Kit, Bearing Assembly<br>When replacing the Spindle bearings, order the Bearing Assembly Kit to assure proper installation |



| Ref. | Part No.     | Qty | Description                            |
|------|--------------|-----|----------------------------------------|
| 1    | 501 58 04-01 | 1   | Assembly, Seat                         |
| 2    | 576 78 34-01 | 1   | Assembly, Seat Belt                    |
| 3    | 539 11 97-41 | 1   | Switch, Seat                           |
| 4    | 510 06 41-01 | 1   | Rod, Seat                              |
| 5    | 585 85 74-04 | 1   | Latch, Seat                            |
| 6    | 520 28 31-01 | 1   | Spring, Torsion                        |
| 7    | 587 61 33-01 | 2   | Spring, Seat                           |
| 8    | 510 03 93-02 | 1   | Pan, Seat                              |
| 9    | 539 91 38-47 | 2   | Retainer 3/8 Nut                       |
| 10   | 539 99 06-45 | 2   | Bolt 3/8-16 x 1 Round Head Square Neck |
| 11   | 539 11 32-26 | 4   | Bolt 5/16-18 x 1 Thread Form           |
| 12   | 515 99 06-01 | 2   | Bolt 3/8 x 1-1/4 5/16-18 Shoulder      |
| 13   | 525 83 42-01 | 2   | Bolt 3/8-16 x 1-1/4 Hex Flange Head    |
| 14   | 539 10 01-43 | 2   | Bolt 7/16-14 x 1 Hex Head              |
| 15   | 539 11 28-99 | 6   | Nut 5/16-18 Hex Flange Nyloc           |
| 16   | 521 99 65-01 | 4   | Nut 3/8-16 Hex Flange Nyloc            |
| 17   | 539 13 20-19 | 2   | Nut 7/16-14 Whiz Lock                  |

DECALS



| Ref. | Part No.     | Qty | Description               |
|------|--------------|-----|---------------------------|
| 1    | 574 43 73-01 | 1   | Decal, Belt Route         |
| 2    | 539 10 57-44 | 1   | Decal, Belt Drive Warning |
| 3    | 539 10 57-45 | 1   | Decal, Battery Warning    |
| 4    | 581 72 43-01 | 2   | Decal, No Step            |
| 5    | 539 10 57-46 | 1   | Decal, Severing           |
| 6    | 589 28 30-01 | 2   | Decal, Motion Control     |
| 7    | 584 90 46-01 | 1   | Decal, Blade Warning      |
| 8    | 581 72 44-01 | 1   | Decal, Deflector          |
| 9    | 585 14 26-01 | 2   | Decal, Tracking           |
| 10   | 588 88 93-01 | 1   | Decal, Park Brake         |
| 11   | 583 93 40-01 | 1   | Decal, Warning            |
| 12   | 532 42 86-76 | 1   | Decal, Crown Small        |
| 13   | 532 42 91-96 | 2   | Decal, Husqvarna          |
| 14   | 574 56 94-01 | 1   | Decal, Fuse               |
| 15   | 574 56 90-06 | 1   | Decal, ROPS               |
| 16   | 574 56 90-02 | 1   | Decal, ROPS Warning       |
| 17   | 574 45 50-01 | 1   | Decal, Crown Large        |
| 18   | 585 38 49-01 | 1   | Decal, Service            |
| 19   | 532 42 41-02 | 1   | Decal, Spark Arrestor     |
| 20   | 577 15 01-01 | 1   | Decal, Fuel               |
| 21   | 576 75 53 01 | 1   | Decal, Height             |
| 22   | 576 76 38-01 | 1   | Decal, Release Lever      |
| 23   | 510 24 66-02 | 1   | Decal, Console            |
| 24   | 576 75 52 07 | 1   | Decal, P-ZT54             |
| 25   | 539 12 13-22 | 1   | Foot Pad                  |





**[www.husqvarna.com](http://www.husqvarna.com)**

**115 71 07-27 Rev D**  
**2017-03-15**