
ILLUSTRATED PARTS LIST


MFG. ID NO. 96051019100
CUSTOMER CATALOG NO. TC 242T
PRODUCT NO. 960 51 01-91

47




TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91

DECALS 27



KEY NO.	PART NO.	DESCRIPTION
1	586 35 06-01	Decal, Warning
2	581 57 97-01	Decal, Warning Eng. Sym.
3	587 38 53-01	Decal, Engine
4	598 37 47-01	Decal, Replacement
5	597 47 53-01	Decal, Deck Belt
6	597 90 89-01	Decal, Side Panel
7	581 57 98-01	Decal, Warning
8	581 57 91-01	Decal, Mower Cut Finger Symbol
9	581 57 96-01	Decal, Chassis Hot Muffler
- -	532 44 46-19	Decal, Bypass
- -	532 44 14-09	Pad Footrest LH
- -	532 44 14-10	Pad Footrest RH
- -	532 44 54-93	Decal, Backplate Warning
- -	114 18 99-20	Manual Operator's (Euro)
- -	114 19 00-10	Manual Operator's (Scan)
- -	114 19 01-50	Manual Operator's (E-Bloc)
- -	114 19 02-40	Manual Operator's (Baltic)
- -	114 19 03-76	Manual Operator's (Turkish)
- -	114 19 04-53	Manual Operator's (Ukrainian)

WHEELS AND TIRES




KEY NO.	PART NO.	DESCRIPTION
1	532 05 91-92	Cap Valve Tire
2	532 06 51-39	Stem Valve
3	532 13 83-36	Rim Front
4	532 05 99-04	Tube Front (Service Item Only)
5	532 10 62-22	Tire Front 15 x 6-6
6	532 00 02-78	Fitting Grease (Front Wheel Only)
7	532 00 90-40	Bearing Flange (Front Wheel Only)
8	532 17 50-39	Cap Axle Blk 1 50 x 1 00
9	532 12 46-35	Tire Rear 18 x 8.5-8
10	532 00 71-52	Tube Rear (Service Item Only)
11	532 13 83-37	Rim Asm 8" Rear
- -	532 14 43-34	Sealant, Tire (10 oz. Tube)

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91


SCHEMATIC 38

SCH17




NOTE

YOUR TRACTOR IS EQUIPPED WITH A SPECIAL ALTERNATOR SYSTEM. THE LIGHTS ARE NOT CONNECTED TO THE BATTERY, BUT HAVE THEIR OWN ELECTRICAL SOURCE. BECAUSE OF THIS, THE BRIGHTNESS OF THE LIGHTS WILL CHANGE WITH ENGINE SPEED. AT IDLE THE LIGHTS WILL DIM. AS THE ENGINE SPEED IS INCREASED, THE LIGHTS WILL BECOME THEIR BRIGHTEST.




IGNITION SWITCH

POSITION	CIRCUIT	"MAKE"
OFF	M+G+A1	
RUN/OVERRIDE	B+A1	
RUN	B+A1	L+A2
START	B + S + A1	



CHASSIS HARNESS CONNECTOR (C1) (MATING SIDE)



DASH HARNESS CONNECTOR (C1) (MATING SIDE)


WIRING INSULATED CLIPS NOTE: IF WIRING INSULATED CLIPS WERE REMOVED FOR SERVICING OF UNIT, THEY SHOULD BE RE-INSTALLED TO PROPERLY SECURE YOUR WIRING.

NON-REMOVABLE CONNECTIONS

REMOVABLE CONNECTIONS

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91

ELECTRICAL 32




KEY NO.	PART NO.	DESCRIPTION
1	532 43 71-57	Battery
2	532 44 09-23	Screw Hex Hd Cap M6 x 1.12mm
16	532 17 61-38	Switch Interlock Push-In
21	532 40 02-52	Harness Light w/4152J
22	532 00 41-52	Bulb Light
25	589 32 37-01	Cable Starter
26	532 17 51-58	Fuse
27	596 13 36-01	Locknut, KEPS, 1/4-20
28	589 32 36-01	Cable, Ground
29	532 19 27-49	Switch, Seat
30	532 19 33-50	Switch, Ign
33	532 41 19-35	Key/Chain
34	532 11 07-12	Switch Light/Reset
40	532 42 10-02	Harness Ign. Dash
42	532 13 15-63	Cover Terminal Red
43	582 04 28-02	Solenoid w/Brass Plunger, AN
46	594 91 91-01	Hourmeter, SRVCMNOR
55	817 06 05-12	Screw Thdrol 5/16-18 x 3/4 TYTT
71	587 26 87-01	Harness Ignition Chassis
79	532 17 52-42	Socket Asm. Bulb
83	594 08 65-01	Nut, Square, M6 x 1
87	532 42 10-60	Switch
99	817 00 05-12	Screw 5/16-18 x 3/4
102	532 44 12-62	Harness Jumper
105	532 40 75-68	Switch Reverse
107	532 18 03-79	Switch Full Bagger
108	589 50 03-01	Switch Snapmount

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91

CHASSIS AND ENCLOSURES 39




TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91
CHASSIS AND ENCLOSURES 39

KEY NO.	PART NO.	DESCRIPTION
3	597 68 82-01	Kit, Grille Applique, (includes applique cover and emblem badge)
5	590 74 88-23	Dash
14	532 44 11-77	Hood
15	597 86 78-01	Incandescent headlight kit (includes LH/RH lens and LH/RH housing)
18	597 40 71-01	Grille, Asm
34	580 91 09-01	Plate Engine
36	817 06 05-12	Screw 5/16-18 x 3/4
37	532 44 14-19	Fender
52	596 04 05-01	Nut, Lock, Hex, PRVL, 5/16-18
62	596 72 82-01	Bolt, Carri, 3/8-16 x 1" Gr. 5
68	596 03 07-01	Screw, Hexagon, 5/16-18 x 1/2
118	596 56 53-01	Washer, 3/8 x 0.08in, ST, CLR, Zinc
119	596 32 26-01	Nut, Crownlock, 3/80, 16 unc
130	596 32 17-01	Screw #10 x 0.750
137	532 40 75-90	Bumper Dash
150	532 43 97-74	Air Duct
151	532 43 66-70	Bracket Pivot
152	532 19 95-35	Shield Browning
154	532 14 50-06	Clip, Push-in, Hinged
159	817 00 06-12	Screw Hexwsh Thrd 3/8-16 x 3/4
162	596 13 41-01	Screw, Hex, Tap, 1/4-15 x 1/2
175	590 60 77-02	Crossmember
176	532 40 07-76	Screw 10-24 x 5/8
177	532 19 52-28	Bushing Steering
180	593 89 88-01	Chassis
182	586 73 86-02	Dash Lower
183	595 30 57-01	Screw, Hexagon, 5/16-18 x 1-1/4
189	817 00 05-12	Screw 5/16-18 x 3/4
194	596 13 57-01	Nut, Lock, PRVL, Torq, 5/16-18 x .68
195	532 40 41-37	Plug Hole Dash Lower
198	532 44 15-52	Indicator Deck Lift
199	532 41 87-39	Plate Deck Lift
200	594 02 62-02	Sheild, LH, Chassis
202	597 86 77-01	Kit, Side Vents, LH/RH (includes LH/RH side vents)
204	597 40 80-01	Kit, Top Vent (includes top vent and clip retainers)
205	532 43 97-30	Skirt Hood Side RH
206	532 43 97-29	Skirt Hood Side LH
213	596 03 05-01	Bolt, Hex HD, 5/16-18 unc x 3/4
214	532 19 91-45	Clip Retainer Tinner
217	532 40 91-67	Rod Pivot
218	532 19 63-95	X-Piece Hood Stop
219	594 02 63-02	Sheild, RH, Chassis
228	593 82 40-01	Stud, w/"D" Anti-Rotation
235	596 56 42-01	Spacer, Fender, CLR, Zn
236	873 93 05-00	Nut Lock 5/16-18 unc
241	593 33 76-01	Screw, 5/16-18 x 1.00, HWH, TRS
246	591 44 90-01	Bagger Latch Extension Spring
247	582 55 26-02	Battery Strap
248	872 11 05-04	Bolt Rdhd Sqnk 5/16-18 x 1/2 Gr. 5
249	586 93 60-01	Screw Bnhd 10-24 x 1/2 Patched
250	596 04 08-01	Lock, Nut, Washer, #10-24in, Gr. 2
251	589 31 89-04	LH Backplate Support Bracket
252	581 99 22-04	RH Backplate Support Bracket
253	596 23 84-01	1/4-20 x 3/4in, Gr. 5, Bolt
254	873 90 04-00	Nut Lock Hex Flange 1/4-20
255	589 39 22-03	Bolt Cross Drilled 3/8-16 x 1.75
256	596 21 90-01	Nut Hex, Jam, Nut, Top, 3/8 x 9/16
257	589 74 66-02	Bagger Latch Assembly LH
258	589 74 67-02	Bagger Latch Assembly RH
282	532 41 41-10	Clip Retainer
283	532 44 72-12	Console Deck Lift LH
284	532 44 72-20	Console Shft RH
287	817 60 04-06	Screw 1/4-20 x 3/8
303	597 72 39-02	Shield Lwr LH
304	597 72 40-02	Shield Lwr RH
307	587 49 45-01	Shield Upper French
308	532 17 18-77	Bolt 5/16-18 unc x 3/4 w/Sems
309	582 55 25-02	Backplate
319	581 31 39-07	Lever Bag
334	532 44 25-37	Bracket Engine
338	594 09 39-01	Bolt Shoulder 5/16-18 x.88
339	532 43 66-41	Lever Bagger Full
340	582 55 27-02	Battery Door
341	582 06 08-01	Battery Door Latch
342	582 82 68-02	Supprt Fender
347	532 44 28-87	Hitch Tow
366	581 31 46-02	Bracket RH Front Bagger
367	581 31 45-02	Bracket LH Front Bagger
368	581 42 48-01	Full Lever Shroud
375	586 90 82-01	Dash Clip-On Bumper
378	590 84 98-01	Bushing Flange
- -	589 45 39-01	Kit ID Box –This kit includes Battery Hardware (532 44 09-23 Screw Hex Head Cap M6 x 1.2mm), 532 43 67-74 Nut Square M6 x 1.8.5 x 11mm; refer to pages 4 & 5 in this IPL, Chassis Parts/Hardware (532 44 28-87 Tow Hitch), (532 43 66-41 Bagger Full Lever); refer to pages 6 & 7 in this IPL, Bagger Parts/ Hardware (582 36 48-01 Bagger Latch), Bagger Presence Lever/ Hardware (581 31 39-06 Bagger Presence lever), (586 93 60-01 Screw Buttonhead 10-24 x 1/2), (539 97 69-77 Nut Hex 10-24), (817 00 06-12 Screw Hexwsh Trdr 3/8-16 x 3/4), (872 11 06-08 Bolt Rdhd Sqnk 3/8-16 x 1 Gr. 5), (873 80 06-00 Nut Lock 3/8-16 unc); refer to pages 18 & 19 in this IPL.

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91

DRIVE 40



drive-TexCrd-Gen2_K46_Pedal_42_r1


TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91
DRIVE 40

KEY NO.	PART NO.	DESCRIPTION
1	– – – – – –	Transaxle, Tufftorq K46DF (446488) (Order parts from transaxle manufacturer.)
2	532 12 35-83	Key Square
6	532 12 40-28	Bushing Snap
17	532 43 62-27	Spring Brake K46
27	596 24 10-01	Screw, Hex, Thread Roll, 5-16 x 18
29	532 44 27-95	Rod, Brake
30	596 14 02-01	Washer, 406ID x OD x .065
33	812 00 00-01	Ring E
35	583 86 45-02	Rod, BRK, Parking, GT Husq
37	532 18 89-67	Washer Harden .793 x 1.063 x .060
38	532 16 96-13	Nyliner Bushing
42	532 00 88-83	Cover, Foot Pedal
49	596 13 62-01	Bolt, Cup, Head, 3/8-16 x 3/4
50	532 19 43-27	Idler Flat
51	873 90 06-00	Lock Nut 3/8-16
52	532 19 43-26	Idler V-Groove
56	591 06 53-01	V-Belt, Drive
61	532 44 51-51	Pulley Transaxle K46
64	532 19 78-65	Shaft Asm. Pedal Brake Control
73	595 31 66-01	Bolt, HHD w/Flange, 5/16-18 Gr. 5
90	532 44 36-05	Keeper Belt Clutching
99	532 44 39-47	Rod Spring Bypass
103	596 43 63-01	Nut, Hex, 5/16-18 x 0.577" Gr.5, Zn
116	596 13 57-01	Nut,Lock,PRVL,TORQ,5/16-18x.68
125	817 00 05-12	Screw 5/16-18 x 3/4
140	596 02 98-01	Spring, Lock, Washer, Square Ends
143	596 03 07-01	Screw, Hexagon, 5/16-18 x 1/2
159	596 02 95-01	Pin, Cotter, 1/8 dia x 3/4
160	596 02 94-01	Clip, Retainer "M"
161	532 10 57-09	Spring, Return, Clutch
163	594 08 41-02	Rod, CNTRL, Shift Pedal
166	532 42 91-64	Nut Push
167	532 40 52-57	Latch Brake Parking
175	532 42 93-59	Shaft Asm Crosshift Rear CRD
183	532 13 70-57	Spacer Axle
184	587 65 37-01	Handle Parking Brake
185	872 11 06-22	Bolt 3/8-16 unc x 2-3/4 Gr. 5
186	532 19 43-21	Spacer Retainer
188	582 21 70-01	Link Clutch
189	532 43 36-11	Bellcrank Ground Drive
195	580 45 69-01	Bracket Rod Brake CRD Tex
203	596 20 41-01	Washer,11/32 x 11/16 x 14
205	532 12 17-48	Washer 25/32 x 1-5/8 x 16 Ga.
210	532 40 09-80	Rocker Asm. Pedal Control
211	532 12 01-83	Bearing Nylon
214	532 42 12-63	Pedal Forward
215	586 60 65-02	Pedal Reverse
221	532 40 31-87	Retainer Spring Clip Handle
222	879 21 20-10	Washer 21/32 x 1-1/4 10 Ga.
226	532 40 15-64	Bracket Strap Torque
227	596 13 59-01	Bolt, Hex, 5/16-18 x 3/4, CLR, Zinc
279	593 89 84-01	Link & Stud-Link, SUBASM
280	596 03 99-01	Washer, Plain, 11/32 x 5/8, CLR
309	532 16 55-81	Plate Fstnr Cross Shf
311	532 16 98-45	Washer Nylon
312	532 16 56-14	Hub Tapered
313	596 04 07-01	Bolt, Hex, 1/4-20 x 1
314	532 44 47-13	Keeper Belt
315	817 58 05-20	Screw Thdrol 5/16-18 x 4.25
335	532 19 95-34	Pulley V-Idler
336	587 25 96-02	Bolt, 5/16-18 x 1-3/4, Flanged
339	532 43 68-67	Strap Torque K46 CRD Tex
342	532 18 26-82	Keeper Belt 2.5" STL V-Idlr CRD
343	594 94 44-01	Nut, Hexagon, Flange, 5/16-18
351	532 43 69-98	Bracket 97 CRD Deck Sway
352	532 43 56-45	Bracket Idler CRD Tex
355	532 43 56-69	Bracket
359	596 56 40-02	Bolt, HHD, 3/8-16 x 0.655 CLR, ZN
360	532 44 47-14	Nut 5/16-24 unf
362	532 43 68-12	Idler Flat
363	532 44 27-80	Spacer .343 x .63 x .62
364	532 44 30-32	Bracket Idler CRD Tex
372	582 65 49-01	Keeper Belt Transaxle

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91

ENGINE 24



SPARK ARRESTER KIT

engine-tex_bs-2cyl_151


ENGINE 24

KEY NO.	PART NO.	DESCRIPTION
1	– – – – – –	Engine B&S Model No. 40N777-0009-B5 (597818301) (Order parts from engine manufacturer.)
2	589 81 87-01	Muffler
9	501 83 26-02	Keeper Belt Engine
12	586 72 89-01	Pulley Engine
15	581 29 01-01	Tank Fuel
18	532 43 02-20	Fuel Cap
20	587 24 25-01	Control Throttle
21	596 32 17-01	Screw, #10 x .075, BOS, Thread
28	532 13 70-40	Fuel Line
29	532 13 71-80	Spark Arrester Kit
37	532 12 34-87	Clamp Hose
42	596 23 89-01	Washer 7/16in, CLR, ZN
43	817 06 05-12	Screw 5/16-18 x 3/4 Thdrol
45	596 13 36-01	Locknut, KEPS, 1/4-20
62	532 43 40-17	Shield Heat Muffler
69	532 16 53-91	Gasket
70	581 88 11-01	Tube Exhaust LH
71	581 88 10-01	Tube Exhaust RH
79	596 13 42-02	Screw, Socket, 5/16-18 x 1, CLR, Zn
81	532 14 84-56	Tube Drain Oil Easy
82	532 42 82-87	Valve Oil Drain
84	817 06 06-20	Screw
85	501 60 65-01	Bolt Hex 7/16-20 x 4 x Gr. 5-1.5 Thr
90	817 00 06-16	Screw 3/8-16 x 1
96	596 13 53-01	Washer, Plain, 9/32 X 7/8, Clr, Zn
97	817 67 04-12	Screw 1/4-20 x 3/4
102	817 00 05-12	Screw 5/16-18 x 3/4
108	594 02 64-02	Shield, Clutch

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91

STEERING ASSEMBLY 41



steering-tex_HUSQSRII_3

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91


STEERING ASSEMBLY 41

KEY NO.	PART NO.	DESCRIPTION
1	597 86 61-01	Wheel, Steering, Kit (includes steering wheel and cap)
2	532 19 59-68	Axle Asm.
4	532 40 30-87	Spindle, LH
5	532 40 30-88	Spindle, RH
6	532 00 62-66	Washer Thrust 0.75 x 1.23
7	532 12 17-48	Washer 25/32 x 1-5/8 x 16 Ga.
8	812 00 00-29	Ring, Klip #T5304-75
9	532 12 12-32	Cap, Spindle
13	532 12 17-49	Washer 25/32 x 1-1/4 x 16 Ga.
14	596 23 87-01	Washer, Spring, Lock, 381ID x .680
15	873 54 06-00	Nut, Crown Lock 3/8-24 unf
16	587 01 60-02	Steering Shaft
19	532 19 47-29	Plate Steering
21	586 84 02-01	Adapter Wheel Steering
22	585 02 98-02	Bearing
26	594 94 91-01	Cap, Wheel, Steering
27	596 93 34-01	Washer, Plain
28	817 00 06-12	Screw 3/8-16 x 3/4
35	532 19 47-32	Gear, Sector Plate
45	587 01 64-01	Washer 3/8 ID 2-3/8 OD 12 Ga. PLTD
50	873 90 06-00	Nut Lock Flg 3/8-16 unc
53	532 18 89-67	Washer Hardened .793 x 1.637 x .060
58	532 19 47-47	Bolt Shoulder Sector Pivot CFM
59	532 19 47-48	Washer Thrust Sector Steering
60	873 97 10-00	Nut Flange Lock 5/8-11
61	597 04 78-02	Linkage Asm., Draglink, LH
62	597 04 79-02	Linkage Asm., Draglink, RH
63	817 00 05-12	Screw 5/16-18 x 3/4
64	532 19 98-49	Retainer Clip Spring Steering
66	871 02 07-48	Bolt Hex Fghd 7/16-14 x 3 Serr
67	532 19 47-37	Bushing PM Front Axle
68	873 90 07-00	Nut Lock Flange 7/16-14 Gr. 5
69	532 19 91-62	Washer 1.5 x .505 x .118
70	585 33 88-01	Bracket Deck Susp. Front
75	580 68 37-01	Pinion
76	580 68 36-01	Screw Head Sock
122	532 44 49-62	Cap Gear

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91

MOWER DECK 44



tex-deck_TexCRD-Gen2-108cm_1

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91


MOWER DECK 44

KEY NO.	PART NO.	DESCRIPTION
1	597 95 92-01	Kit, SVC, Deck Weldment
3	596 13 57-01	Nut, Lock, Prvl, Torq, 5/16-18 x .68
7	596 32 17-01	Screw #10 x .075, BOS, Thread
8	595 96 02-02	Mandrel Reinforcement Plate
10	817 00 06-16	Screw,3/8-16x1, Smgml,Tap/R,Blk
11	532 13 77-29	Screw, Thd, Roll, 1/4-20 x 5/8
12	594 94 44-01	Nut, Hexagon, Flange, 5/16-18
14	532 43 68-58	Guard, Paint, Tuv, Idler, 42, Black
15	532 19 59-45	Pulley, Mandrel, 5.438 Pd, Zinc
16	873 90 06-00	Nut, Lock, Flg, 3/8-16 unc
17	596 13 48-01	Nut, Hex, 9/16-18 x 1 .010
19	585 32 39-01	Bearing, Mandrel
21	532 10 65-13	Washer, Wear, 16 Ga, Harden
23	596 56 40-03	Bolt, Hex, 3/8-16 x 1.78, Clr, Zinc
26	532 19 84-10	Spring, Torsion, Brake
27	594 02 49-01	Belt
29	532 19 72-56	Spring, Torsion, Retainer
30	597 35 12-02	Keeper, Belt, Ecoat x 431
33	597 47 51-01	Housing Mandrel, Tall
34	580 85 47-01	Shaft Asm Rev Tall N/Greaseabl
35	594 02 47-02	Blade LH
37	596 56 53-01	Washer 3/8 x 0.08in., ST, CLR, Zinc
40	595 53 32-01	Keeper Belt Engine LH
44	532 19 31-95	Pulley
47	584 30 93-01	Screw, Sems, 7/16-20 x 1, Hex, Head
48	596 13 60-01	Bolt, Cup, Head, 3/8-16 x 3/4
49	594 02 51-02	Plate,108Cm,FR,RR,Reinforcment
50	595 83 96-02	Plate, Rear, Containment, MS 431
51	594 02 50-02	Plate, 108cm, Side, Reinforcement
53	597 25 25-02	Plate, 108cm, LH, RR, Containment
55	597 25 27-02	Plate, 108cm, LH, FR, Containment
56	597 25 28-02	Plate, 108cm, RH, FR, Containment
57	597 25 24-02	Plate,108cm,RH,Containment,431
58	597 25 26-02	Plate,108cm,RH,RR,Containment
61	594 02 52-02	Plate, 108cm, FR, LH, reinfor, 431
62	594 03 29-01	Cable, Asmbrake
63	585 51 78-01	Screw, Thd, Roll, 1/4-20 x 5/8
67	532 40 30-12	Handle, Clutch, Cable
69	597 25 22-01	Lower, Chute, Sealing Collar
70	532 19 99-72	Clutch Asm., Manual
72	581 45 41-03	Chute, Slotted, Holes, Tex, CRD, II
76	532 41 55-98	Washout Port
78	532 19 31-97	Pulley, Idler 48"Primary
80	595 90 16-01	Bolt, Cup, 5/16-18 x 3/4, Clr, Znc
83	595 53 33-02	Belt Keeper
84	589 67 61-02	Belt Keeper
85	594 02 48-02	Blade RH
89	532 19 72-61	Arm, Pnt, Brake, Mower
90	532 19 90-92	Spacer, Retainer
91	596 13 49-01	Washer, Plain, 3/8 x 7/8
93	532 19 94-70	Arm, Brake, Mower, 38" LH, Tex
95	817 00 06-12	Screw Hexwsh 3/8-16 x 3/4
98	593 82 40-01	Stud, w/"D"Anti-Rotation
99	594 92 82-02	Arm, Deck, Suspension, MS 431
100	532 19 65-39	Bolt Shoulder
104	594 02 59-01	Cover, Mandrel, Assy, RH
105	594 02 58-01	Cover, Mandrel, Assy, LH
106	581 54 26-01	Spring, Brake, Return, 42, Sz
117	873 90 04-00	Nut, Hex, Flange, 1/4-20
118	594 02 45-02	Arm, Tensioner MS 431
120	597 64 68-01	Keepr Belt Engine RH
123	596 13 61-01	Bolt, Cup, Head, 3/8-16 x 1-1/2"
127	596 13 44-01	Bolt, 3/8-16 x 3-5/8, Gr. 5, Clr, Zinc
128	589 52 73-01	Wheel, Gauge, Wide (Rally)
129	532 44 32-37	Rod Anti-Sway
130	596 13 32-01	Washer 13/32 x 13/16 x 12 Ga.
131	532 19 42-08	Pin Cotter 5/16 Bow Tie Lock
142	597 25 23-02	Plate,108cm,LH,Containment x431
152	594 03 30-01	Cable, Clutch Asm
166	594 02 46-02	Bracket, Tension, Adjmnt x 431
255	596 23 84-01	1/4-20 x 3/4 in., Gr 5, Bolt
258	584 95 39-01	Bolt,Hex,Washr,Hed,.313-18x1,19
264	589 39 29-02	Retainer Asm., Chute, CRD 2.5, Tex
- -	587 12 61-06	Mandrel Assembly Tall (Includes Housing (Key# 33), Shaft Assembly (Key# 34), and Bearing (Key#19) Only - Pulley/ Nut/Washer and Blade Bolt/ Washers Not Included)
- -	597 95 93-01	Replacement Mower Complete

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91

MOWER LIFT 45




KEY NO.	PART NO.	DESCRIPTION
2	532 43 69-96	Deck Lift Weldment
3	594 01 80-01	Lever, Lift, Handle
7	580 96 23-01	Grip, Lever
10	532 19 63-14	Spring Torsion
87	532 19 42-09	Pin Cotter 7/16 Bow Tie Lock
88	532 44 54-96	Spring Lift Assist
89	819 19 19-12	Washer Clear Zinc
90	532 19 42-08	Pin Cotter 5/16 Bow Tie Lock

KEY NO.	PART NO.	DESCRIPTION
91	589 46 48-03	Link, Assy, Lift, Rear
97	596 56 40-01	Hex, Bolt w/Collar, 3/8-16 x 0.53
98	595 96 07-01	Link, Asm
109	539 10 92-32	Pin, Clevis 3/8 x 1 1/4

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91

SEAT ASSEMBLY 42




KEY NO.	PART NO.	DESCRIPTION
1	532 43 98-22	Seat
2	532 18 01-66	Bracket Pivot Fender
3	532 14 06-75	Strap, Asm Fender
6	873 80 06-00	Nut, Lock w/Ins. 3/8-16 unc
7	589 48 35-01	Spring, Seat Cprsn
8	532 17 18-77	Bolt 5/16-18 unc x 3/4 w/Sems
10	596 65 74-02	Seat Plate
21	587 90 78-01	Bolt, Shoulder 5/16-18 x 5/8

KEY NO.	PART NO.	DESCRIPTION
37	596 58 37-02	Nut w/Nonmetal, Ins, Blk, Zinc
40	532 19 76-61	Handle Slide Seat
41	532 19 82-00	Spring Latch Seat
43	874 76 06-12	Bolt Fin Hex 3/8-16 unc x 3/4
44	501 05 18-01	Washer Winged

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - MODEL NO. TC 242T (96051019100), PRODUCT NO. 960 51 01-91

BAGGER 46



BAGGER 46

KEY NO.	PART NO.	DESCRIPTION
1	532 42 86-10	Tube Handle Bagger
3	532 17 48-14	Nut Push
5	532 44 37-62	Frame Asm Top Bagger
8	587 58 86-01	Cover Bagger
10	532 44 37-55	Frame Front
19	532 19 42-08	Cotter Pin 5/16 Bow Tie
21	581 33 71-03	Bag Asm
27	532 44 55-29	Grommet Rubber
28	532 16 57-87	Grip Handle Black
42	532 44 04-28	Christmas Tree Clip
43	532 12 68-75	Clevis Pin
44	532 19 96-87	Bolt 1/4-20 1.50
45	532 44 37-54	Upper U Frame Weldment
46	532 44 55-41	Bagger Corner Close-Out RH
47	532 44 40-79	Bagger Corner Close-Out LH
48	532 44 40-80	Top Bagger Side Close-Out
49	532 17 18-73	Bolt Shoulder 5/16-18 TT
50	532 17 18-77	Bolt 5/16-18 unc x 3/4 w/SEMS
51	872 11 05-06	Bolt RDHDSQNK 5/16-18 unc x 3/4
52	596 58 37-02	Nut W/Nonmetal, Ins, Blk, Zinc
53	532 44 41-95	Bracket Dump Handle
54	532 44 72-18	Bagger TOP Front Handle
55	596 03 08-01	Bolt, 5/16-18 x 1/2 Gr. 5 CLR ZN
56	532 42 03-06	Pin Clevis 1.83 OD x 1.26 long
59	532 44 47-63	Bagger Spread Tube
65	532 00 44-97	Clip Retainer
70	817 00 06-12	Bolt 3/8-16 x 3/4
83	873 80 06-00	Nut Lock Hex w/Ins 3/8-16
84	596 72 82-01	Bolt, Carri, 3/8-16 x 1", Gr. 5
85	581 31 44-02	Bracket RH Pivot
86	581 31 43-02	Bracket LH Pivot
87	581 31 48-02	Bracket RH
88	581 31 47-02	Bracket LH
89	581 31 51-04	Tube Asm.
92	586 05 23-02	Bracket Top Support
93	586 05 24-02	Bracket Support RH
94	586 05 25-02	Bracket Support LH
95	817 00 05-12	Screw 5/16-18 x 3/4
- -	501 70 56-01	Bagger Dump Kit (Includes Key#'s 85, 86, 87, 88, & 89)
- -	586 74 49-01	Bagger Complete Kit (Includes Key#'s 1, 5, 10, 19, 21, 27, 28, 42, 43, 46, 47, 48, 49, 50, 52, 54, 56, 59, 65)

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm